

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
109003	6 Bolt Flange	N/A	23-11/16	38	Short Male Spline W/ Bolt	45
109004	6 Bolt Flange	N/A	24-5/8	38	Short Male Spline W/ Bolt	45
109006	6 Bolt Flange	N/A	19-3/4	38	Short Male Spline W/ Bolt	45
109007	6 Bolt Flange	N/A	20-7/8	38	Short Male Spline W/ Bolt	45
109009	6 Bolt Flange	N/A	20-19/32	38	Short Male Spline W/ Bolt	45
109011	6 Bolt Flange	N/A	20-3/4	33	Short Male Spline W/ Bolt	45
109012	6 Bolt Flange	N/A	19-13/16	33	Short Male Spline W/ Bolt	45
109016	6 Bolt VL Style	N/A	27-3/32	26	Male W/ Nut	45
109018	6 Bolt Flange	N/A	20-7/16	38	Short Male Spline W/ Bolt	45
109019	6 Bolt Flange	N/A	18-19/32	38	Short Male Spline W/ Bolt	45
109021	6 Bolt Flange	N/A	22-5/32	38	Short Male Spline W/ Bolt	45
109022	6 Bolt VL Style	N/A	24-29/32	33	Short Male Spline W/ Bolt	45
109023	6 Bolt VL Style	N/A	24-1/16	33	Short Male Spline W/ Bolt	45
109025	6 Bolt VL Style	N/A	25-7/32	26	Male W/ Nut	96
109026	6 Bolt VL Style	N/A	27-3/8	26	Male W/ Nut	96
109031	6 Bolt Flange	N/A	21-3/4	38	Short Male Spline W/ Bolt	45
109032	6 Bolt VL Style	N/A	25-7/32	26	Male W/ Nut	96
109035	6 Bolt VL Style	N/A	27-3/32	22	Male W/ Nut	No ABS Reluctor
109036	6 Bolt VL Style	N/A	23-11/32	22	Male W/ Nut	No ABS Reluctor
109037	6 Bolt VL Style	N/A	24-21/32	22	Male W/ Nut	No ABS Reluctor
109038	6 Bolt VL Style	N/A	27-7/32	22	Male W/ Nut	No ABS Reluctor
109041	6 Bolt VL Style	N/A	24-17/32	22	Male W/ Nut	No ABS Reluctor
109046	6 Bolt VL Style	N/A	26-15/32	22	Male W/ Nut	No ABS Reluctor
109047	6 Bolt VL Style	N/A	22-13/16	22	Male W/ Nut	No ABS Reluctor
109049	6 Bolt VL Style	N/A	23-5/8	22	Male W/ Nut	No ABS Reluctor
109052	6 Bolt VL Style	N/A	26	26	Male W/ Nut	96
109055	6 Bolt VL Style	N/A	26-1/8	26	Male W/ Nut	No ABS Reluctor
109056	6 Bolt VL Style	N/A	22-31/32	33	Short Male Spline W/ Bolt	No ABS Reluctor
109058	6 Bolt VL Style	N/A	25-1/32	38	Short Male Spline W/ Bolt	45
109059	6 Bolt VL Style	N/A	23-5/8	38	Short Male Spline W/ Bolt	45
109061	6 Bolt VL Style	N/A	24-1/4	38	Short Male Spline W/ Bolt	45
109062	6 Bolt VL Style	N/A	25-1/8	38	Short Male Spline W/ Bolt	45
109063	6 Bolt VL Style	N/A	26-13/16	22	Male W/ Nut	No ABS Reluctor
109064	6 Bolt VL Style	N/A	23-3/32	22	Male W/ Nut	No ABS Reluctor
109065	6 Bolt Flange	N/A	21-31/32	38	Short Male Spline W/ Bolt	45
109066	6 Bolt Flange	N/A	22-7/32	38	Short Male Spline W/ Bolt	45
109069	6 Bolt Flange	N/A	19-1/4	38	Short Male Spline W/ Bolt	45
109070	6 Bolt Flange	N/A	25-19/32	38	Short Male Spline W/ Bolt	45
109072	6 Bolt VL Style	N/A	23-9/32	38	Short Male Spline W/ Bolt	45
109073	6 Bolt VL Style	N/A	22-3/4	38	Short Male Spline W/ Bolt	45
109074	6 Bolt VL Style	N/A	24-23/32	33	Short Male Spline W/ Bolt	45
109075	6 Bolt VL Style	N/A	20-15/32	33	Short Male Spline W/ Bolt	45
109076	6 Bolt VL Style	N/A	23-1/32	33	Short Male Spline W/ Bolt	96
109077	6 Bolt VL Style	N/A	22-17/32	33	Short Male Spline W/ Bolt	96
109080	6 Bolt VL Style	N/A	25-3/32	33	Short Male Spline W/ Bolt	45
109081	6 Bolt VL Style	N/A	24-3/8	33	Short Male Spline W/ Bolt	45
109082	6 Bolt VL Style	N/A	26-5/32	38	Short Male Spline W/ Bolt	45
109083	6 Bolt VL Style	N/A	24-21/32	38	Short Male Spline W/ Bolt	45
109086	6 Bolt Flange	N/A	22	38	Short Male Spline W/ Bolt	45
109087	6 Bolt VL Style	N/A	25-1/32	38	Short Male Spline W/ Bolt	45
109088	6 Bolt VL Style	N/A	24-1/4	38	Short Male Spline W/ Bolt	45
109089	6 Bolt VL Style	N/A	20-7/16	36	Male W/ Nut	No ABS Reluctor
109090	6 Bolt VL Style	N/A	25-21/32	36	Male W/ Nut	No ABS Reluctor
109091	6 Bolt Flange	N/A	23-5/16	38	Short Male Spline W/ Bolt	45
109093	6 Bolt VL Style	N/A	23-3/4	38	Short Male Spline W/ Bolt	45
109094	6 Bolt VL Style	N/A	24-7/16	38	Short Male Spline W/ Bolt	45
109095	6 Bolt Flange	N/A	24-1/4	38	Short Male Spline W/ Bolt	45
109096	6 Bolt Flange	N/A	20-23/32	38	Short Male Spline W/ Bolt	45
109097	6 Bolt Flange	N/A	20-25/32	38	Short Male Spline W/ Bolt	45
109098	6 Bolt Flange	N/A	19-3/4	38	Short Male Spline W/ Bolt	45

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
109099	6 Bolt Flange	N/A	20-1/2	38	Short Male Spline W/ Bolt	45
109100	6 Bolt Flange	N/A	19-1/4	38	Short Male Spline W/ Bolt	45
109103	6 Bolt Flange	N/A	23-7/8	38	Short Male Spline W/ Bolt	45
109104	6 Bolt Flange	N/A	24-21/32	38	Short Male Spline W/ Bolt	45
109105	6 Bolt Flange	N/A	23-5/16	38	Short Male Spline W/ Bolt	45
109106	6 Bolt Flange	N/A	24-9/32	38	Short Male Spline W/ Bolt	45
109107	6 Bolt Flange	N/A	21-1/32	38	Short Male Spline W/ Bolt	45
109108	6 Bolt Flange	N/A	19-9/16	38	Short Male Spline W/ Bolt	45
109109	6 Bolt Flange	N/A	23-25/32	38	Short Male Spline W/ Bolt	45
109110	6 Bolt Flange	N/A	24-9/16	38	Short Male Spline W/ Bolt	45
109111	6 Bolt Flange	N/A	21-1/4	38	Short Male Spline W/ Bolt	45
109112	6 Bolt Flange	N/A	18-7/8	38	Short Male Spline W/ Bolt	45
109114	6 Bolt VL Style	N/A	25-7/8	38	Short Male Spline W/ Bolt	45
109115	6 Bolt Flange	N/A	25-5/16	38	Short Male Spline W/ Bolt	45
109118	6 Bolt VL Style	N/A	23-7/16	33	Short Male Spline W/ Bolt	45
109129	6 Bolt Flange	N/A	21-7/8	38	Short Male Spline W/ Bolt	No ABS Reluctor
109130	6 Bolt Flange	N/A	21-1/4	38	Short Male Spline W/ Bolt	No ABS Reluctor
109131	6 Bolt Flange	N/A	24-1/16	38	Short Male Spline W/ Bolt	No ABS Reluctor
109133	6 Bolt Flange	N/A	18-21/32	38	Short Male Spline W/ Bolt	No ABS Reluctor
109134	6 Bolt Flange	N/A	21-5/8	38	Short Male Spline W/ Bolt	No ABS Reluctor
109135	6 Bolt Flange	N/A	20-9/16	38	Short Male Spline W/ Bolt	No ABS Reluctor
109136	6 Bolt Flange	N/A	23-17/32	38	Short Male Spline W/ Bolt	No ABS Reluctor
109138	6 Bolt VL Style	N/A	20-21/32	30	Male W/ Nut	No ABS Reluctor
119001	6 Bolt Flange	N/A	18-1/8	27	Male W/ Nut	No ABS Reluctor
119002	Female	37	19-23/32	23	Male W/ Nut	47
119003	Female	29	23-11/16	27	Male W/ Nut	No ABS Reluctor
119004	Male	27	23-3/4	27	Male W/ Nut	No ABS Reluctor
119005	Female	29	22-29/32	27	Male W/ Nut	No ABS Reluctor
119006	Male	27	24-17/32	27	Male W/ Nut	No ABS Reluctor
129001	6 Bolt VL Style	N/A	22-11/16	27	Male W/ Nut	48
129002	6 Bolt VL Style	N/A	17-13/16	N/A	6 Bolt VL Style	No ABS Reluctor
129003	6 Bolt VL Style	N/A	24-13/32	27	Male W/ Nut	48
129007	Male	27	23-1/32	30	Male W/ Nut	No ABS Reluctor
129008	Long Bar	27	38-1/8	30	Male W/ Nut	No ABS Reluctor
129009	Male	23	24-1/4	26	Male W/ Nut	No ABS Reluctor
129010	Long Bar	23	35-1/8	26	Male W/ Nut	No ABS Reluctor
129011	Male	22	24-13/32	26	Male W/ Nut	No ABS Reluctor
129012	Long Bar	22	34-15/16	26	Male W/ Nut	No ABS Reluctor
129013	Male	34	23-9/32	26	Male W/ Nut	No ABS Reluctor
129014	Long Bar	34	36-1/8	26	Male W/ Nut	No ABS Reluctor
129015	6 Bolt VL Style	N/A	25-15/32	30	Male W/ Nut	48
129017	6 Bolt VL Style	N/A	18-1/8	N/A	6 Bolt VL Style	No ABS Reluctor
129020	6 Bolt VL Style	N/A	24-9/32	27	Male W/ Nut	48
129022	6 Bolt VL Style	N/A	26-3/8	27	Male W/ Nut	48
129028	6 Bolt VL Style	N/A	25-7/32	30	Male W/ Nut	No ABS Reluctor
129029	6 Bolt VL Style	N/A	25-11/32	30	Male W/ Nut	No ABS Reluctor
129030	Male	33	23-7/32	26	Male W/ Nut	No ABS Reluctor
129031	Long Bar	33	36-3/8	26	Male W/ Nut	No ABS Reluctor
129032	Male	26	23-5/8	26	Male W/ Nut	No ABS Reluctor
129033	Long Bar	26	34-15/16	26	Male W/ Nut	No ABS Reluctor
129034	6 Bolt VL Style	N/A	26-21/32	30	Male W/ Nut	48
129035	6 Bolt VL Style	N/A	24-1/2	30	Male W/ Nut	48
129036	Long Bar	27	35-7/16	30	Male W/ Nut	No ABS Reluctor
129037	Male	27	22-13/16	30	Male W/ Nut	No ABS Reluctor
129038	Long Bar	27	34-9/16	30	Male W/ Nut	48
129039	Male	27	22-1/8	30	Male W/ Nut	48
129040	Long Bar	27	36-1/8	30	Male W/ Nut	48
129041	Male	27	23-19/32	30	Male W/ Nut	48
129042	6 Bolt VL Style	N/A	24-5/8	30	Male W/ Nut	No ABS Reluctor
129043	Male	27	23-1/2	30	Male W/ Nut	No ABS Reluctor

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLDPARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
129044	Male	27	36-1/8	30	Male W/ Nut	No ABS Reluctor
129045	Male	27	22-55/64	30	Male W/ Nut	No ABS Reluctor
129049	6 Bolt VL Style	N/A	25-7/8	30	Male W/ Nut	48
129050	6 Bolt VL Style	N/A	24-1/4	30	Male W/ Nut	48
139006	Female	27	20-9/16	33	Male W/ Nut	50
139008	Female	27	26-15/16	33	Male W/ Nut	50
139010	6 Bolt Flange	N/A	28-11/16	26	Male W/ Nut	No ABS Reluctor
139013	Male	25	24-7/16	26	Male W/ Nut	56
139014	Male	25	38-25/32	26	Male W/ Nut	56
139015	Male	25	37-1/16	23	Male W/ Nut	56
139016	Male	25	23-1/16	23	Male W/ Nut	56
139018	Female	27	27-7/32	33	Male W/ Nut	50
139019	Male	25	24-7/16	26	Male W/ Nut	46
139020	Female	27	21-1/8	33	Male W/ Nut	50
139021	Female	27	27-7/32	33	Male W/ Nut	50
139022	6 Bolt Flange	N/A	20-11/32	31	Male W/ Nut	No ABS Reluctor
139024	Male	25	37-1/16	23	Male W/ Nut	56
139026	Male	25	42-29/32	26	Male W/ Nut	47
139028	6 Bolt Flange	N/A	18-13/16	31	Male W/ Nut	56
139029	Male	25	38-13/16	26	Male W/ Nut	46
139032	Long Bar	27	41-3/32	27	Male W/ Nut	48
139033	Long Bar	27	24-3/8	27	Male W/ Nut	48
139034	Long Bar	27	40-1/8	27	Male W/ Nut	48
139035	Long Bar	27	23-7/32	27	Male W/ Nut	48
139036	Male	25	26-1/8	26	Male W/ Nut	47
139037	Male	25	41-1/8	26	Male W/ Nut	47
139040	Male	25	41-1/4	26	Male W/ Nut	47
139042	Male	23	24-3/4	26	Male W/ Nut	No ABS Reluctor
139043	Male	23	38-1/8	26	Male W/ Nut	No ABS Reluctor
139048	Male	25	25-5/32	26	Male W/ Nut	47
139049	Male	25	39-7/8	26	Male W/ Nut	47
139051	Male	25	38-11/32	25	Male W/ Nut	43
139052	Male	23	25-7/8	26	Male W/ Nut	No ABS Reluctor
139053	Male	23	38-7/8	26	Male W/ Nut	No ABS Reluctor
139054	Male	23	26-3/8	26	Male W/ Nut	No ABS Reluctor
139055	Male	23	40-11/32	26	Male W/ Nut	No ABS Reluctor
139058	Male	23	25-19/32	26	Male W/ Nut	No ABS Reluctor
139060	6 Bolt Flange	N/A	18-3/4	26	Male W/ Nut	No ABS Reluctor
139061	Male	27	37-11/16	25	Male W/ Nut	43
139063	Male	27	25-23/32	25	Male W/ Nut	43
139064	Male	25	24-1/16	25	Male W/ Nut	No ABS Reluctor
139066	Male	23	38-21/32	26	Male W/ Nut	No ABS Reluctor
139069	Male	27	25-3/32	25	Male W/ Nut	43
139075	Female	27	26-13/16	33	Male W/ Nut	50
139076	Female	27	20-3/4	33	Male W/ Nut	50
139080	Male	25	25-1/8	26	Male W/ Nut	47
139087	Male	25	38-19/32	26	Male W/ Nut	46
139090	Male	25	33-7/16	26	Male W/ Nut	No ABS Reluctor
139094	Female	27	21-1/8	33	Male W/ Nut	50
139095	Male	25	42-17/32	26	Male W/ Nut	No ABS Reluctor
139096	Male	25	27-1/8	26	Male W/ Nut	No ABS Reluctor
139097	Long Bar	25	42-17/32	26	Male W/ Nut	No ABS Reluctor
139100	Female	29	24-1/32	29	Male W/ Nut	No ABS Reluctor
139101	Male	29	24-1/32	29	Male W/ Nut	No ABS Reluctor
139102	Male	29	25-23/32	29	Male W/ Nut	No ABS Reluctor
139104	Male	25	35-7/8	26	Male W/ Nut	No ABS Reluctor
139108	Male	25	40-1/2	26	Male W/ Nut	47
139110	Male	27	25-1/8	28	Male W/ Nut	No ABS Reluctor
139111	Female	28-2	23-1/8	28	Male W/ Nut	No ABS Reluctor
139112	Male	27	37-23/32	28	Male W/ Nut	No ABS Reluctor

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
139113	Male	27	38-1/8	28	Male W/ Nut	No ABS Reluctor
139114	Female	28	23-1/32	32	Male W/ Nut	No ABS Reluctor
139115	Male	25	25-7/16	32	Male W/ Nut	No ABS Reluctor
139116	Female	28	20-21/32	32	Male W/ Nut	No ABS Reluctor
139117	Female	28	22-5/32	32	Male W/ Nut	No ABS Reluctor
139118	Male	29	25-3/8	32	Male W/ Nut	No ABS Reluctor
139119	Female	29	23-3/4	33	Male W/ Nut	No ABS Reluctor
139220	Long Bar	27	22-5/8	27	Male W/ Nut	54
139221	Long Bar	27	38-1/2	27	Male W/ Nut	54
139222	Female	27	23-5/8	32	Male W/ Nut	No ABS Reluctor
139223	Male	29	26-13/16	32	Male W/ Nut	No ABS Reluctor
139224	Male	26	24-21/32	32	Male W/ Nut	No ABS Reluctor
139225	Male	25	26-27/32	32	Male W/ Nut	No ABS Reluctor
139226	Male	25	26-13/32	32	Male W/ Nut	No ABS Reluctor
139229	Male	25	41-3/4	32	Male W/ Nut	No ABS Reluctor
139230	Male	25	26 7/8	32	Male W/ Nut	No ABS Reluctor
139231	Flange	N/A	27-3/32	26	Male W/ Nut	No ABS Reluctor
149005	Male	23	25-3/32	24	Male W/ Nut	No ABS Reluctor
149006	Male	23	22-15/32	24	Male W/ Nut	No ABS Reluctor
149009	Male	23	33	24	Male W/ Nut	No ABS Reluctor
149010	Male	23	32-15/16	24	Male W/ Nut	No ABS Reluctor
149011	Male	23	35-29/32	24	Male W/ Nut	No ABS Reluctor
149012	Male	25	34-23/32	24	Male W/ Nut	No ABS Reluctor
159001	Female	34	18-7/8	33	Male W/ Nut	47
159002	Male	34	38-5/16	33	Male W/ Nut	47
159003	Male	34	24-1/2	33	Male W/ Nut	47
159004	Male	34	38-1/8	33	Male W/ Nut	47
159005	Female	34	20-15/32	33	Male W/ Nut	47
159007	Female	34	19-1/4	33	Male W/ Nut	47
159021	Male	34	24-13/32	33	Male W/ Nut	No ABS Reluctor
159022	Male	34	23-7/16	33	Male W/ Nut	47
159023	Male	34	35-15/16	33	Male W/ Nut	47
169003	Female	35	21-3/4	26	Male W/ Nut	50
169004	Female	27	20-3/4	27	Male W/ Nut	No ABS Reluctor
169007	Male	26	24-1/32	26	Male W/ Nut	44
169011	Female	35-1	22-7/32	27	Male W/ Nut	44
169013	Male	26	24-11/32	27	Male W/ Nut	44
169021	Male	27	23-7/32	27	Male W/ Nut	No ABS Reluctor
169022	Male	24	24-1/2	26	Male W/ Nut	44
169023	6 Bolt Flange	N/A	19-3/4	33	Male W/ Nut	No ABS Reluctor
169026	Female	35	23-1/8	26	Male W/ Nut	50
169027	Long Bar	26	37-13/32	25	Male W/ Nut	No ABS Reluctor
169033	Male	35	26-3/32	27	Male W/ Nut	44
169035	6 Bolt VL Style	N/A	22-13/32	26	Male W/ Nut	No ABS Reluctor
169036	Male	24	35-23/32	26	Male W/ Nut	44
169037	Female	26-2	24-13/32	26	Male W/ Nut	44
169038	Male	26	24-1/4	25	Male W/ Nut	No ABS Reluctor
169043	Male	23	22-9/32	26	Male W/ Nut	No ABS Reluctor
169044	Male	23	35-1/8	26	Male W/ Nut	No ABS Reluctor
169045	Male	23	22-9/32	26	Male W/ Nut	No ABS Reluctor
169046	Male	24	23-1/2	24	Male W/ Nut	No ABS Reluctor
169047	Male	23	24-13/16	25	Male W/ Nut	No ABS Reluctor
169048	Long Bar	23	36-9/16	25	Male W/ Nut	No ABS Reluctor
169050	Male	35	25-11/32	26	Male W/ Nut	50
169051	Male	35	26-27/32	26	Male W/ Nut	50
169054	Male	25	23-1/32	26	Male W/ Nut	No ABS Reluctor
169055	Male	25	35-3/4	26	Male W/ Nut	No ABS Reluctor
169056	Male	25	22-29/32	26	Male W/ Nut	No ABS Reluctor
169058	Female	35	23-1/8	26	Male W/ Nut	50
169059	Male	35	28-3/16	26	Male W/ Nut	50

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLDPARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
169060	Male	35	28-9/32	26	Male W/ Nut	50
169061	Female	35	22-9/32	26	Male W/ Nut	50
169062	Male	35	26-7/32	26	Male W/ Nut	50
169063	Female	27-1	20-7/32	27	Male	No ABS Reluctor
169064	Male	27	23-1/32	27	Male	No ABS Reluctor
169065	Male	26	36	26	Male W/ Nut	44
169066	Female	28-2	21-13/16	28	Male W/ Nut	90
169069	Male	22	23-7/8	24	Male W/ Nut	No ABS Reluctor
169070	Male	22	34-15/16	24	Male W/ Nut	No ABS Reluctor
169071	Male	24	23-17/32	24	Male W/ Nut	44
169072	Male	24	35-1/8	24	Male W/ Nut	44
169077	Male	23	26	26	Male W/ Nut	No ABS Reluctor
169078	Female	35	23-5/16	26	Male W/ Nut	No ABS Reluctor
169079	Female	35	24-13/16	26	Male W/ Nut	50
169080	Male	26	24-1/2	26	Male W/ Nut	50
169082	Male	28	31-5/8	28	Male W/ Nut	50
169085	Male	35	26	27	Male W/ Nut	44
169086	Male	26	23-17/32	26	Male W/ Nut	44
169091	Male	22	24-1/32	24	Male W/ Nut	44
169092	Male	22	35	24	Male W/ Nut	44
169093	Female	27-1	23-7/32	27	Male W/ Nut	No ABS Reluctor
169094	Male	27	25-15/16	27	Male W/ Nut	No ABS Reluctor
169095	Female	35-1	21-15/32	28	Male W/ Nut	44
169096	Male	35	26-7/16	28	Male W/ Nut	44
169099	Female	35	22-9/32	28	Male W/ Nut	44
169100	Male	28	24-15/16	28	Male W/ Nut	44
169103	Male	28	31-3/4	28	Male W/ Nut	46
169105	Male	35	27	26	Male W/ Nut	50
169112	Male	23	23	26	Male W/ Nut	No ABS Reluctor
169113	Male	23	35-29/32	26	Male W/ Nut	No ABS Reluctor
169114	Male	23	23-1/16	26	Male W/ Nut	No ABS Reluctor
169116	Male	24	35-7/16	26	Male W/ Nut	44
169117	Male	37	25-7/32	38	Male W/ Nut	No ABS Reluctor
169118	Long Bar	37	41-1/2	38	Male W/ Nut	No ABS Reluctor
169119	Long Bar	37	41-1/2	38	Male W/ Nut	No ABS Reluctor
169120	Female	35	23-5/32	26	Male W/ Nut	No ABS Reluctor
169121	Male	35	27-5/32	26	Male W/ Nut	No ABS Reluctor
169122	Male	28	26-11/32	38	Male W/ Nut	No ABS Reluctor
169123	6 Bolt Flange	N/A	19-1/2	45	Male W/ Nut	No ABS Reluctor
169124	Female	35-1	22-5/16	27	Male W/ Nut	44
169125	Male	26	24-3/8	27	Male W/ Nut	44
169126	Male	23	24-17/32	26	Male W/ Nut	No ABS Reluctor
169128	Female	28-2	22-5/32	25	Male W/ Nut	No ABS Reluctor
169133	Male	23	31-13/32	26	Male W/ Nut	44
169135	Male	23	33-15/32	26	Male W/ Nut	44
169138	Male	27	25-25/32	27	Male W/ Nut	No ABS Reluctor
169139	Female	27	23-1/16	27	Male W/ Nut	No ABS Reluctor
169142	Male	35	25	28	Male W/ Nut	44
169143	Male	30	22-5/8	28	Male W/ Nut	44
169144	Male	30	24-7/16	28	Male W/ Nut	44
169145	Male	35	25-7/8	28	Male W/ Nut	44
169146	Female	27-2	24-9/16	28	Male W/ Nut	44
169147	Female	31-2	23-13/16	31	Male W/ Nut	44
169148	Male	27	25-11/32	31	Male W/ Nut	44
169149	Female	31-2	22-3/4	31	Male W/ Nut	44
169156	Male	34	23-11/16	25	Male W/ Nut	No ABS Reluctor
169157	Male	25	35-1/8	28	Male W/ Nut	44
169158	Male	25	33-1/8	28	Male W/ Nut	44
169159	Long Bar	34	37-3/8	25	Male W/ Nut	No ABS Reluctor
169164	Male	27	41 13/16	38	Male W/ Nut	No ABS Reluctor

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
169165	Male	27	41 13/16	38	Male W/ Nut	No ABS Reluctor
169166	Male	27	26	38	Male W/ Nut	No ABS Reluctor
169167	Female	27-1	20-23/32	27	Male W/ Nut	No ABS Reluctor
169168	Male	27	23-1/2	27	Male W/ Nut	No ABS Reluctor
169169	Male	31	32-15/16	29	Male W/ Nut	54
169170	Male	31	31-3/4	29	Male W/ Nut	54
179001	Male	34	25-25/32	27	Male W/ Nut	47
179002	6 Bolt Flange	N/A	21-1/16	33	Male W/ Nut	No ABS Reluctor
179005	6 Bolt Flange	N/A	20-15/32	33	Male W/ Nut	No ABS Reluctor
179006	Female	41	21-1/4	33	Male W/ Nut	No ABS Reluctor
179007	Female	26	22-7/32	33	Male W/ Nut	No ABS Reluctor
179011	Male	34	24-23/32	33	Male W/ Nut	47
179012	Female	34	22-3/8	33	Male W/ Nut	47
179015	Male	22	27-3/32	23	Male W/ Nut	42
179016	Male	22	30-5/8	23	Male W/ Nut	42
179017	Male	22	35-5/32	23	Male W/ Nut	42
179018	Male	22	22-15/32	23	Male W/ Nut	42
179019	Female	22	23-17/32	23	Male W/ Nut	42
179020	Male	22	24-5/16	23	Male W/ Nut	42
179021	Female	34	21-1/8	33	Male W/ Nut	48
179026	6 Bolt Flange	N/A	21-21/32	33	Male W/ Nut	No ABS Reluctor
179030	6 Bolt Flange	N/A	21-1/16	33	Male W/ Nut	55
179033	6 Bolt Flange	N/A	21-1/16	33	Male W/ Nut	No ABS Reluctor
179034	6 Bolt Flange	N/A	21-1/16	33	Male W/ Nut	55
179035	Female	35	20-11/32	33	Male W/ Nut	47
179036	Male	34	23-17/32	33	Male W/ Nut	47
179037	Male	34	25-5/8	33	Male W/ Nut	48
179038	Male	26	23-1/2	27	Male W/ Nut	No ABS Reluctor
179039	Female	34	21	33	Male W/ Nut	48
179040	Male	34	24-13/16	33	Male W/ Nut	No ABS Reluctor
179041	Female	35	20-1/4	33	Male W/ Nut	48
179043	Female	35	21-3/32	33	Male W/ Nut	No ABS Reluctor
179045	Female	34	22-1/16	33	Male W/ Nut	No ABS Reluctor
179046	Female	35	22-1/8	33	Male W/ Nut	No ABS Reluctor
179047	Female	26	21-1/2	27	Male W/ Nut	No ABS Reluctor
179048	Female	34	20-7/8	30	Male W/ Nut	No ABS Reluctor
179049	Female	34	20-25/32	33	Male W/ Nut	48
179051	Female	35	20-7/32	33	Male W/ Nut	No ABS Reluctor
179052	Female	34	20-13/16	33	Male W/ Nut	No ABS Reluctor
179054	Male	34	24-7/8	33	Male W/ Nut	No ABS Reluctor
179058	6 Bolt Flange	N/A	20-23/32	27	Male W/ Nut	No ABS Reluctor
179059	Female	34	20-23/32	33	Male W/ Nut	No ABS Reluctor
179060	6 Bolt Flange	N/A	20-21/32	27	Male W/ Nut	No ABS Reluctor
179062	Male	34	27-1/16	33	Male W/ Nut	No ABS Reluctor
179063	Male	34	23	33	Male W/ Nut	No ABS Reluctor
179064	Male	34	36-11/32	33	Male W/ Nut	No ABS Reluctor
179065	Male	34	21-7/16	33	Male W/ Nut	48
179066	Male	34	24-23/32	33	Male W/ Nut	48
179067	Female	35	21-25/32	27	Male W/ Nut	47
179071	Male	34	22-5/8	33	Male W/ Nut	48
179072	Male	34	36-13/32	33	Male W/ Nut	48
179073	Female	34	20-7/8	33	Male W/ Nut	44
179076	Female	34	21-1/32	27	Male W/ Nut	No ABS Reluctor
179078	Male	22	24-27/32	23	Male W/ Nut	No ABS Reluctor
179079	Male	22	32-1/8	23	Male W/ Nut	No ABS Reluctor
179081	Female	26-2	22-1/4	24	Male W/ Nut	No ABS Reluctor
179082	Male	34	24-1/4	22	Male W/ Nut	No ABS Reluctor
179083	Male	34	35-1/8	22	Male W/ Nut	No ABS Reluctor
179084	Male	34	37-1/16	22	Male W/ Nut	No ABS Reluctor
179085	Male	34	22-5/8	22	Male W/ Nut	No ABS Reluctor

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
179086	Male	34	23-3/8	33	Male W/ Nut	No ABS Reluctor
179087	6 Bolt Flange	N/A	19-13/32	27	Male W/ Nut	No ABS Reluctor
179089	Female	35	20-3/4	33	Male W/ Nut	No ABS Reluctor
179091	Male	34	37-1/8	30	Male W/ Nut	No ABS Reluctor
179092	Male	34	27-5/16	27	Male W/ Nut	47
179094	Male	34	24-3/32	22	Male W/ Nut	No ABS Reluctor
179095	Female	34	20-3/8	22	Male W/ Nut	No ABS Reluctor
179097	Male	39	24-13/32	33	Male W/ Nut	No ABS Reluctor
179098	Male	34	25-5/16	33	Male W/ Nut	47
179100	Male	34	25	33	Male W/ Nut	No ABS Reluctor
179102	Female	34	20-5/16	33	Male W/ Nut	No ABS Reluctor
179103	Male	34	26-5/8	33	Male W/ Nut	No ABS Reluctor
179104	Female	35	21-3/8	33	Male W/ Nut	47
179105	Male	22	30-7/32	23	Male W/ Nut	No ABS Reluctor
179106	Male	34	26-25/32	33	Male W/ Nut	47
179107	Male	22	27-7/32	23	Male W/ Nut	No ABS Reluctor
179108	Male	34	38-15/16	33	Male W/ Nut	No ABS Reluctor
179110	Male	22	30-3/32	23	Male W/ Nut	No ABS Reluctor
179111	6 Bolt Flange	N/A	24-5/8	33	Male W/ Nut	No ABS Reluctor
179115	Male	34	23-11/32	33	Male W/ Nut	48
179116	Male	22	26-7/32	23	Male W/ Nut	No ABS Reluctor
179117	Male	22	24-17/32	23	Male W/ Nut	No ABS Reluctor
179118	Female	34	21-1/4	27	Male W/ Nut	98
179120	Female	34	20-15/32	33	Male W/ Nut	47
179121	Male	34	34-1/2	22	Male W/ Nut	No ABS Reluctor
179122	Male	34	23-7/8	22	Male W/ Nut	No ABS Reluctor
179123	Male	34	36-3/32	22	Male W/ Nut	No ABS Reluctor
179124	Male	34	34-7/8	24	Male W/ Nut	No ABS Reluctor
179125	Male	34	25-3/8	33	Male W/ Nut	No ABS Reluctor
179128	Female	34	20-9/16	33	Male W/ Nut	47
179131	Male	34	26-15/16	33	Male W/ Nut	47
179132	Male	34	37-13/32	33	Male W/ Nut	48
179135	Male	26	27-5/8	27	Male W/ Nut	No ABS Reluctor
179136	6 Bolt Flange	N/A	21-3/8	27	Male W/ Nut	No ABS Reluctor
179137	Male	26	25-9/32	27	Male W/ Nut	No ABS Reluctor
179138	Female	26	23-9/32	27	Male W/ Nut	No ABS Reluctor
179139	Male	34	37	33	Male W/ Nut	48
179140	Male	34	22-5/8	33	Male W/ Nut	48
179142	Male	34	23-13/16	30	Male W/ Nut	No ABS Reluctor
179150	Male	34	23-5/8	33	Male W/ Nut	48
179153	Female	34	22-3/8	33	Male W/ Nut	No ABS Reluctor
179155	Female	34	20-7/8	33	Male W/ Nut	48
179156	Male	39	25-5/16	33	Male W/ Nut	No ABS Reluctor
179158	Male	34	25-3/4	33	Male W/ Nut	No ABS Reluctor
179159	Male	34	25-5/8	33	Male W/ Nut	No ABS Reluctor
179160	Female	34	22-19/32	33	Male W/ Nut	No ABS Reluctor
179161	Female	41	22-1/8	33	Male W/ Nut	No ABS Reluctor
179167	Male	34	25-7/8	33	Male W/ Nut	No ABS Reluctor
179170	Female	35	20-15/16	27	Male W/ Nut	98
179171	Male	30	30-7/16	27	Male W/ Nut	No ABS Reluctor
179172	Male	30	33-5/32	27	Male W/ Nut	No ABS Reluctor
179175	Male	22	31-15/16	23	Male W/ Nut	No ABS Reluctor
179179	Male	34	36-13/32	33	Male W/ Nut	No ABS Reluctor
179180	Male	34	36-9/16	33	Male W/ Nut	No ABS Reluctor
179181	Male	34	25-3/32	33	Male W/ Nut	47
179182	Female	34	20-23/32	33	Male W/ Nut	47
179183	Male	34	26-15/16	33	Male W/ Nut	47
179185	Male	34	24-9/16	33	Male W/ Nut	48
179187	Female	34	20-11/32	33	Male W/ Nut	48
179188	Female	26	23-15/32	33	Male W/ Nut	No ABS Reluctor

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLDPARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
179190	Male	34	39-19/32	27	Male W/ Nut	47
179191	Male	34	23-5/16	27	Male W/ Nut	47
179192	Female	34	20-27/32	33	Male W/ Nut	No ABS Reluctor
179193	Male	34	24-5/32	24	Male W/ Nut	No ABS Reluctor
179196	Female	26-2	22-7/32	24	Male W/ Nut	No ABS Reluctor
179202	Female	34	21-27/32	33	Male W/ Nut	No ABS Reluctor
179206	Female	34	21-5/8	30	Male W/ Nut	No ABS Reluctor
179208	Female	34	31-1/2	33	Male W/ Nut	No ABS Reluctor
179210	Female	34	22-13/32	33	Male W/ Nut	No ABS Reluctor
179211	Male	34	37-9/16	33	Male W/ Nut	No ABS Reluctor
179212	Female	34-1	26-5/8	30	Male W/ Nut	No ABS Reluctor
179213	Female	34	23-7/16	33	Male W/ Nut	No ABS Reluctor
179214	Female	30	28-13/16	30	Male W/ Nut	No ABS Reluctor
179217	Male	27	23-1/16	33	Male W/ Nut	No ABS Reluctor
179219	Male	34	22-9/32	28	Male W/ Nut	No ABS Reluctor
179220	Female	26-2	21-15/16	28	Male W/ Nut	No ABS Reluctor
179221	Female	34	22-1/16	30	Male W/ Nut	No ABS Reluctor
179222	Male	34	23-1/8	30	Male W/ Nut	No ABS Reluctor
179223	Male	34	23-15/16	30	Male W/ Nut	No ABS Reluctor
179224	Male	27	31-15/32	30	Male W/ Nut	No ABS Reluctor
179225	Male	27	34-1/4	30	Male W/ Nut	No ABS Reluctor
179226	Male	39	25-25/32	33	Male W/ Nut	No ABS Reluctor
179227	Female	34	21-13/32	33	Male W/ Nut	No ABS Reluctor
179228	6 Bolt Flange	N/A	22-7/8	33	Male W/ Nut	No ABS Reluctor
179230	Female	34	22-1/16	30	Male W/ Nut	No ABS Reluctor
179231	Female	27	21-13/32	30	Male W/ Nut	No ABS Reluctor
179232	Male	27	23-1/8	30	Male W/ Nut	No ABS Reluctor
179233	Male	28	23	27	Male W/ Nut	No ABS Reluctor
179234	Male	27	24-3/32	30	Male W/ Nut	No ABS Reluctor
179237	Male	27	24-21/32	30	Male W/ Nut	No ABS Reluctor
179238	Female	27	23-15/16	33	Male W/ Nut	No ABS Reluctor
179239	Male	27	27-5/16	33	Male W/ Nut	No ABS Reluctor
179240	Male	28	25-1/8	33	Male W/ Nut	No ABS Reluctor
179241	Female	34	22-7/16	30	Male W/ Nut	No ABS Reluctor
179242	Female	27	21-21/32	33	Male W/ Nut	No ABS Reluctor
179243	Male	27	24-1/32	30	Male W/ Nut	No ABS Reluctor
179244	Male	34	37-29/32	33	Male W/ Nut	No ABS Reluctor
179245	Male	34	23-19/32	33	Male W/ Nut	No ABS Reluctor
179246	Male	27	23-15/16	30	Male W/ Nut	No ABS Reluctor
179248	Female	41	22-19/32	33	Male W/ Nut	No ABS Reluctor
189003	Male	27	23-1/2	26	Male W/ Nut	50
189013	Male	27	38-13/16	28	Male W/ Nut	50
189016	Male	29	24-15/16	28	Male W/ Nut	50
189018	Male	27	24-1/2	28	Male W/ Nut	50
189019	Male	25	34-21/32	23	Male W/ Nut	No ABS Reluctor
189020	Male	27	24-15/16	28	Male W/ Nut	50
189021	Female	27-2	23-7/16	28	Male W/ Nut	50
189023	Male	27	39-5/8	28	Male W/ Nut	50
189025	Male	27	25	28	Male W/ Nut	50
189027	Male	27	25-15/16	28	Male W/ Nut	50
189028	Male	25	22-29/32	23	Male W/ Nut	No ABS Reluctor
189036	Female	31-2	26-13/32	28	Male W/ Nut	50
189037	Male	25	35-1/32	24	Male W/ Nut	No ABS Reluctor
189038	Male	25	23-7/8	24	Male W/ Nut	No ABS Reluctor
189039	Male	25	35-11/32	24	Male W/ Nut	No ABS Reluctor
189040	Female	31	26-5/8	30	Male W/ Nut	50
189041	Male	31	25-1/8	30	Male W/ Nut	50
189042	Male	29	26-1/2	28	Male W/ Nut	50
189043	Male	27	26-3/32	28	Male W/ Nut	50
189044	Male	27	25-3/8	28	Male W/ Nut	50

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
189045	Male	27	23-9/16	28	Male W/ Nut	50
189046	Male	27	37-5/8	28	Male W/ Nut	50
189047	Male	25	35-29/32	26	Male W/ Nut	50
189048	Male	25	24-9/16	26	Male W/ Nut	50
189050	Male	27	24-7/16	26	Male W/ Nut	No ABS Reluctor
189053	Male	27	36-3/8	26	Male W/ Nut	No ABS Reluctor
189054	Male	25	23-15/16	26	Male W/ Nut	No ABS Reluctor
189055	Male	25	35-9/16	26	Male W/ Nut	No ABS Reluctor
189058	Male	27	36-5/16	26	Male W/ Nut	No ABS Reluctor
189059	Female	29	23-13/16	28	Male W/ Nut	50
189060	Male	27	23-1/32	26	Male W/ Nut	No ABS Reluctor
189061	Male	27	35-5/16	26	Male W/ Nut	No ABS Reluctor
189062	Male	27	23-7/16	28	Male W/ Nut	50
189063	Male	27	23-1/2	26	Male W/ Nut	50
189064	Male	31	25-7/32	28	Male W/ Nut	50
189065	Male	29	25-7/32	28	Male W/ Nut	50
189066	Male	29	25-7/16	28	Male W/ Nut	50
189067	Male	29	25-3/8	28	Male W/ Nut	50
189068	Male	27	23-1/16	26	Male W/ Nut	No ABS Reluctor
189069	Male	27	23-13/16	26	Male W/ Nut	No ABS Reluctor
189070	Male	27	35-7/16	26	Male W/ Nut	No ABS Reluctor
189071	Male	25	35-5/8	23	Male W/ Nut	No ABS Reluctor
189072	Male	25	23-11/16	23	Male W/ Nut	No ABS Reluctor
189073	Male	27	22-11/16	26	Male W/ Nut	No ABS Reluctor
189074	Male	27	22-11/16	26	Male W/ Nut	No ABS Reluctor
189076	Male	27	24-9/32	26	Male W/ Nut	No ABS Reluctor
189077	Male	27	24-9/32	26	Male W/ Nut	No ABS Reluctor
189078	Male	27	36-3/32	26	Male W/ Nut	No ABS Reluctor
189079	Male	27	24-17/32	26	Male W/ Nut	No ABS Reluctor
189080	Male	27	36-13/32	26	Male W/ Nut	No ABS Reluctor
189083	Male	29	28-11/16	28	Male W/ Nut	50
189085	Female	29-2	26-1/16	28	Male W/ Nut	50
189086	Male	27	24-3/4	28	Male W/ Nut	50
189087	Female	27-2	22-7/8	28	Male W/ Nut	50
189088	Male	27	24-1/4	28	Male W/ Nut	50
189089	Male	27	25-5/32	28	Male W/ Nut	50
189090	Male	27	38-1/2	28	Male W/ Nut	50
189092	Male	27	24-7/16	28	Male W/ Nut	50
189098	Female	27-2	22-11/16	28	Male W/ Nut	50
189099	Male	27	24-3/4	28	Male W/ Nut	50
189100	Male	25	36-3/32	24	Male W/ Nut	No ABS Reluctor
189101	Male	25	24-9/16	24	Male W/ Nut	No ABS Reluctor
189102	Male	25	36-1/16	24	Male W/ Nut	No ABS Reluctor
189103	Female	27-2	23-7/8	28	Male W/ Nut	50
189104	Male	27	23-5/8	26	Male W/ Nut	No ABS Reluctor
189105	Male	25	23-5/8	23	Male W/ Nut	No ABS Reluctor
189106	Male	25	22-15/32	23	Male W/ Nut	No ABS Reluctor
189107	Male	27	23-11/16	26	Male W/ Nut	No ABS Reluctor
189110	Male	25	23-7/8	26	Male W/ Nut	50
189118	Male	25	34-1/8	23	Male W/ Nut	No ABS Reluctor
189120	Male	25	24-1/32	26	Male W/ Nut	50
189121	Female	27-2	22-7/32	26	Male W/ Nut	50
189136	Male	27	25-7/32	28	Male W/ Nut	50
189138	Male	27	24-1/8	26	Male W/ Nut	No ABS Reluctor
189139	Male	25	35-7/32	26	Male W/ Nut	50
189140	Male	25	35-9/16	26	Male W/ Nut	50
189143	Female	27-2	24-11/32	28	Male W/ Nut	No ABS Reluctor
189144	Female	27-2	22-7/16	28	Male W/ Nut	50
189145	Male	27	24-1/4	28	Male W/ Nut	50
189147	Male	27	26-1/16	28	Male W/ Nut	No ABS Reluctor

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
189148	Male	27	24-3/8	28	Male W/ Nut	50
189149	Male	23	29-1/8	23	Male W/ Nut	50
189152	Male	23	31-1/8	23	Male W/ Nut	50
189158	6 Bolt Flange	N/A	26-13/16	28	Male W/ Nut	50
189159	Male	23	31-15/32	23	Male W/ Nut	No ABS Reluctor
189160	Male	23	29-1/4	23	Male W/ Nut	No ABS Reluctor
189161	Male	23	29-5/8	23	Male W/ Nut	No ABS Reluctor
189162	Male	23	31-9/16	23	Male W/ Nut	No ABS Reluctor
189163	6 Bolt Flange	N/A	28-19/32	28	Male W/ Nut	50
189166	Male	31	25-3/8	30	Male W/ Nut	50
189167	Male	27	26-1/32	26	Male W/ Nut	No ABS Reluctor
189169	Female	27	25-3/4	28	Male W/ Nut	No ABS Reluctor
189176	Male	27	37-29/32	26	Male W/ Nut	No ABS Reluctor
189178	Male	29	26-9/16	28	Male W/ Nut	No ABS Reluctor
189180	Female	27-2	24-1/16	28	Male W/ Nut	No ABS Reluctor
189181	Male	25	35	24	Male W/ Nut	No ABS Reluctor
189182	Male	25	34-13/32	24	Male W/ Nut	No ABS Reluctor
189183	Male	25	23-15/32	24	Male W/ Nut	No ABS Reluctor
189185	Male	25	34-13/16	24	Male W/ Nut	No ABS Reluctor
189186	Male	27	24-1/8	26	Male W/ Nut	50
189187	Female	27-2	22-1/2	26	Male W/ Nut	50
189188	Male	27	26-13/32	28	Male W/ Nut	No ABS Reluctor
189189	Male	25	35-3/8	24	Male W/ Nut	No ABS Reluctor
189190	Male	27	24-9/16	28	Male W/ Nut	50
189191	Female	27	22-3/4	28	Male W/ Nut	50
189193	Male	25	23-1/2	24	Male W/ Nut	No ABS Reluctor
189194	Male	25	23-13/16	24	Male W/ Nut	No ABS Reluctor
189196	mesaver Axle No II	N/A	17-5/16	17	Male W/ Snap Ring	No ABS Reluctor
189198	mesaver Axle No II	N/A	17-13/32	17	Male W/ Snap Ring	No ABS Reluctor
189199	Male	17	22-1/8	17	Male W/ Nut	No ABS Reluctor
189200	Male	27	26-15/16	28	Male W/ Nut	No ABS Reluctor
189201	Female	27	24-13/16	28	Male W/ Nut	No ABS Reluctor
189202	Male	29	27-15/16	28	Male W/ Nut	50
189203	Female	29	25-3/4	28	Male W/ Nut	50
189204	Female	27	22-1/2	28	Male W/ Nut	No ABS Reluctor
189205	mesaver Axle No II	N/A	19-15/16	17	Male W/ Snap Ring	No ABS Reluctor
189206	mesaver Axle No II	N/A	18-21/32	17	Male W/ Snap Ring	No ABS Reluctor
189207	mesaver Axle No II	N/A	20-7/32	17	Male W/ Snap Ring	No ABS Reluctor
189210	Female	29	26-25/32	30	Male W/ Nut	50
189211	Male	29	28	30	Male W/ Nut	50
189212	Male	27	25-25/32	28	Male W/ Nut	No ABS Reluctor
189217	Male	29	26-13/16	28	Male W/ Nut	No ABS Reluctor
189218	Male	25	36-1/16	26	Male W/ Nut	No ABS Reluctor
189219	Male	25	24-13/32	26	Male W/ Nut	No ABS Reluctor
189220	Female	27-2	23-9/32	26	Male W/ Nut	No ABS Reluctor
189221	Male	25	23-23/32	26	Male W/ Nut	No ABS Reluctor
189222	Female	27-2	23-9/32	26	Male W/ Nut	No ABS Reluctor
189223	Male	25	23-23/32	26	Male W/ Nut	No ABS Reluctor
189224	Female	27-2	23-3/8	28	Male W/ Nut	No ABS Reluctor
189225	Male	27	25	28	Male W/ Nut	No ABS Reluctor
189226	Female	29-2	24-3/32	28	Male W/ Nut	No ABS Reluctor
189227	Female	29-2	22-1/8	30	Male W/ Nut	No ABS Reluctor
189228	Male	29	25	30	Male W/ Nut	No ABS Reluctor
189229	Female	29-2	26-27/32	30	Male W/ Nut	No ABS Reluctor
189230	Male	29	27-19/32	30	Male W/ Nut	No ABS Reluctor
189231	Female	29-2	27	30	Male W/ Nut	No ABS Reluctor
189232	Male	29	28-3/8	30	Male W/ Nut	No ABS Reluctor
189235	Female	29-2	24-3/8	30	Male W/ Nut	No ABS Reluctor
189236	Male	17	21-21/32	17	Male W/ Bolt	No ABS Reluctor
189237	Female	29-2	26-13/16	30	Male W/ Nut	50

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLDPARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
189240	Female	27-2	22-5/32	30	Male W/ Nut	No ABS Reluctor
189241	Male	27	26-1/4	30	Male W/ Nut	No ABS Reluctor
189242	Female	27-2	22-29/32	30	Male W/ Nut	No ABS Reluctor
189243	Male	27	26-15/16	30	Male W/ Nut	No ABS Reluctor
189244	Female	27-2	24-11/32	30	Male W/ Nut	No ABS Reluctor
189245	Male	29	27-7/32	30	Male W/ Nut	No ABS Reluctor
189246	Male	29	27-5/8	30	Male W/ Nut	No ABS Reluctor
189247	Female	29-2	24-29/32	30	Male W/ Nut	No ABS Reluctor
189248	Male	29	26-15/32	30	Male W/ Nut	No ABS Reluctor
189249	Female	29-2	26-31/32	30	Male W/ Nut	No ABS Reluctor
189250	Male	29	28-7/16	30	Male W/ Nut	No ABS Reluctor
189251	Male	29	27-5/64	30	Male W/ Nut	No ABS Reluctor
189264	Male	17	24-1/4	17	Male W/ Bolt	No ABS Reluctor
189265	Male	17	38-7/32	17	Male W/ Bolt	No ABS Reluctor
189266	Male	17	23-7/32	17	Male W/ Bolt	No ABS Reluctor
189268	Male	17	23-13/16	17	Male W/ Bolt	No ABS Reluctor
189281	Male	25	23-5/32	26	Male W/ Nut	50
199001	Male	25	35-3/4	25	Male W/ Nut	29
199002	Male	25	25-7/32	25	Male W/ Nut	29
199004	Female	26-2	23-7/32	25	Male W/ Nut	47
199006	Male	25	25	25	Male W/ Nut	47
199007	Male	25	24-7/8	25	Male W/ Nut	47
199010	Male	25	35-1/8	25	Male W/ Nut	No ABS Reluctor
199012	Male	25	36-3/4	25	Male W/ Nut	44
199018	Male	27	38-7/32	27	Male W/ Nut	47
199019	Male	27	25-13/16	27	Male W/ Nut	47
199024	Male	27	26-1/16	27	Male W/ Nut	47
199027	Female	26-2	24-3/8	27	Male W/ Nut	47
199041	Male	25	25-1/8	25	Male W/ Nut	47
199045	Male	25	38-3/8	25	Male W/ Nut	47
199047	Male	27	25-19/32	25	Male W/ Nut	47
199050	Male	25	24-9/16	25	Male W/ Nut	44
199051	Male	25	35-15/16	25	Male W/ Nut	44
199052	Male	25	24-9/16	25	Male W/ Nut	44
199055	Male	25	37-13/16	25	Male W/ Nut	47
199056	Male	25	24-1/2	25	Male W/ Nut	47
199060	Female	26-2	21-39/64	25	Male W/ Nut	No ABS Reluctor
199065	Male	25	25-9/32	25	Male W/ Nut	44
199067	Male	25	37-1/16	25	Male W/ Nut	44
199068	Male	25	24	25	Male W/ Nut	44
199072	Female	26-2	23-25/32	27	Male W/ Nut	52
199073	Female	26-2	24-1/32	27	Male W/ Nut	52
199075	Male	25	35-7/8	25	Male W/ Nut	44
199077	Male	25	25-9/16	25	Male W/ Nut	44
199078	Male	25	25-29/32	25	Male W/ Nut	44
199080	Male	25	36-31/32	25	Male W/ Nut	44
199082	Male	27	25-1/2	27	Male W/ Nut	52
199084	Male	25	37-15/32	25	Male W/ Nut	No ABS Reluctor
199085	Male	25	23-11/16	25	Male W/ Nut	No ABS Reluctor
199086	Male	28	25-21/32	27	Male W/ Nut	47
199087	Female	28-2	23-15/16	27	Male W/ Nut	47
199088	Male	25	36-5/16	25	Male W/ Nut	44
199089	Male	27	25-9/16	27	Male W/ Nut	44
199090	Male	27	38-1/4	27	Male W/ Nut	52
199091	Male	27	25-23/32	27	Male W/ Nut	52
199092	Male	27	26-1/4	27	Male W/ Nut	52
199093	Male	27	37-9/16	27	Male W/ Nut	52
199094	Male	27	25-9/16	27	Male W/ Nut	52
199095	Male	28	25-15/16	27	Male W/ Nut	52
199096	Female	28-2	23-25/32	27	Male W/ Nut	52

**Worldparts New CV Axle Shaft Specification Chart**

WORLDPARTS PART NUMBER	INBOARD JOINT TYPE	INBOARD JOINT SPLINE	LENGTH IN INCHES	OUTBOARD JOINT SPLINE	OUTBOARD JOINT TYPE	ABS COUNT
199097	Female	28-2	23-11/32	27	Male W/ Nut	52
199098	Female	26-2	22-29/32	27	Male W/ Nut	44
199101	Male	27	38-1/8	27	Male W/ Nut	47
199102	Male	27	38-51/64	27	Male W/ Nut	47
199103	Male	27	26-13/16	27	Male W/ Nut	47
199104	Long Bar	28	38-9/16	30	Male W/ Nut	47
199105	Male	28	25-29/32	30	Male W/ Nut	47
199106	Male	25	25-5/32	25	Male W/ Nut	48
199107	Male	27	25-7/8	27	Male W/ Nut	47
199108	Male	25	36-3/8	25	Male W/ Nut	48
199109	Male	25	24-15/16	25	Male W/ Nut	48
199110	Male	25	36-11/32	25	Male W/ Nut	48
199111	Female	28 minus 2	23-13/16	30	Male W/ Nut	52
199113	Male	27	26-1/4	30	Male W/ Nut	52
199114	Male	28	26-11/32	30	Male W/ Nut	52
199115	Male	27	38-15/32	27	Male W/ Nut	No ABS Reluctor
199116	Male	27	27-1/8	27	Male W/ Nut	No ABS Reluctor
209009	Male	34	22-7/32	22	Male W/ Nut	No ABS Reluctor
209010	Male	17	24-5/32	17	Male W/ Bolt	No ABS Reluctor
209011	Long Bar	17	40-5/8	17	Male W/ Bolt	No ABS Reluctor
209016	Male	34	24-5/32	24	Male W/ Nut	42
209019	mesaver Axle No II	N/A	18-15/16	17	Male W/ Bolt	No ABS Reluctor
209021	mesaver Axle No II	N/A	19 27/32	17	Male W/ Bolt	No ABS Reluctor
219009	Male	28	24-1/32	26	Male W/ Nut	44
219011	Male	28	24-3/32	28	Male W/ Nut	46
219012	Female	28-2	24-11/32	28	Male W/ Nut	46
219015	Male	24	24-1/2	28	Male W/ Nut	46
219018	Male	26	35	24	Male W/ Nut	44
219019	Male	26	23-7/8	24	Male W/ Nut	44
219022	Male	24	24-1/8	24	Male W/ Nut	44
219023	Male	24	34-7/8	24	Male W/ Nut	44
219024	Male	28	24-1/4	26	Male W/ Nut	44
219025	Male	25	25-3/8	25	Male W/ Nut	44
219028	Female	28-2	26-1/4	28	Male W/ Nut	54
219030	Male	28	26-15/32	28	Male W/ Nut	54
219034	Female	26-2	20	26	Male	No ABS Reluctor
219035	Male	26	22-29/32	26	Male	No ABS Reluctor
219037	Female	28-2	24-1/32	27	Male W/ Nut	47
219038	Male	28	25-5/8	27	Male W/ Nut	47
219039	Male	30	25	28	Male W/ Nut	No ABS Reluctor
219040	Female	28-2	22-19/64	28	Male W/ Nut	No ABS Reluctor
219041	Male	25	36-9/16	25	Male W/ Nut	44
219042	Male	27	37-23/32	27	Male W/ Nut	48
219043	Female	26-2	23-25/32	27	Male W/ Nut	48
219044	Male	27	26-3/8	27	Male W/ Nut	48
219045	Female	26-2	23-3/4	27	Male W/ Nut	48
219046	Male	25	31-5/8	27	Male W/ Nut	48
219047	Female	28-2	25-21/32	31	Male W/ Nut	54
219048	Male	31	27-31/32	28	Male W/ Nut	54
219051	Male	27	36-1/2	25	Male W/ Nut	44
219052	Male	27	25-7/32	25	Male W/ Nut	44
219053	Female	26-2	22-13/16	26	Male W/ Bolt	No ABS Reluctor
219054	Male	26	20-7/32	26	Male W/ Bolt	No ABS Reluctor
229003	Male	27	24-9/16	27	Male W/ Bolt	No ABS Reluctor
229005	Male	37	24-29/32	30	Male W/ Nut	48
229006	Male	37	37-13/16	30	Male W/ Nut	48
229010	Male	32	31-1/8	30	Male W/ Nut	48
229011	Male	37	33-1/32	30	Male W/ Nut	No ABS Reluctor
229014	Female	24	21-5/16	25	Male W/ Nut	48
229015	Male	24	22-3/32	25	Male W/ Nut	48

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
229016	Female	34	19-15/16	35	Male W/ Bolt	48
229017	Male	24	20-3/4	35	Male W/ Bolt	48
229018	6 Bolt VL Style	N/A	25-5/32	25	Male W/ Nut	No ABS Reluctor
229019	Female	34	18-15/16	35	Male W/ Bolt	No ABS Reluctor
229020	Male	24	20	35	Male W/ Bolt	No ABS Reluctor
239006	Male	25	36-5/8	25	Male W/ Nut	No ABS Reluctor
239007	Male	25	23-13/16	25	Male W/ Nut	No ABS Reluctor
239008	Male	25	24-3/4	25	Male W/ Nut	43
239009	Female	26-2	22	25	Male W/ Nut	43
239012	Male	25	24-1/32	25	Male W/ Nut	No ABS Reluctor
239013	Male	25	37-13/32	25	Male W/ Nut	No ABS Reluctor
239014	Male	25	23-1/2	25	Male W/ Nut	No ABS Reluctor
239020	Female	26-2	23-13/16	25	Male W/ Nut	43
239021	Male	25	37-11/16	25	Male W/ Nut	43
239022	Female	26-2	22-13/16	25	Male W/ Nut	No ABS Reluctor
239023	Male	25	24-5/8	25	Male W/ Nut	43
239029	Male	25	35	25	Male W/ Nut	No ABS Reluctor
239030	Male	25	35-9/16	25	Male W/ Nut	No ABS Reluctor
239031	Male	25	22-29/32	25	Male W/ Nut	No ABS Reluctor
239034	Male	27	24-29/32	27	Male W/ Nut	No ABS Reluctor
239035	Female	26-2	24-5/8	27	Male W/ Nut	No ABS Reluctor
239036	Male	27	25-5/16	27	Male W/ Nut	No ABS Reluctor
239037	Male	27	25-7/8	27	Male W/ Nut	No ABS Reluctor
239038	Female	26-2	24-5/8	27	Male W/ Nut	47
239039	Male	27	25-5/16	27	Male W/ Nut	47
239040	Male	25	36-15/16	25	Male W/ Nut	No ABS Reluctor
239041	Male	25	23-7/8	25	Male W/ Nut	43
239045	Male	25	36-13/32	25	Male W/ Nut	No ABS Reluctor
239046	Male	25	36-5/16	25	Male W/ Nut	29
239047	Male	25	25-1/8	27	Male W/ Nut	No ABS Reluctor
239048	Male	25	25-9/32	25	Male W/ Nut	43
239049	Male	25	25-15/32	27	Male W/ Nut	No ABS Reluctor
239050	Male	25	25-23/32	27	Male W/ Nut	No ABS Reluctor
239061	Male	25	23-7/32	25	Male W/ Nut	No ABS Reluctor
239063	Male	25	36-15/16	25	Male W/ Nut	No ABS Reluctor
239068	Male	25	37-9/32	25	Male W/ Nut	No ABS Reluctor
239069	Male	25	23-7/32	25	Male W/ Nut	No ABS Reluctor
239070	Male	27	37-5/8	25	Male W/ Nut	43
239072	Male	25	35-15/16	25	Male W/ Nut	No ABS Reluctor
239073	Female	37	24-1/2	23	Male W/ Nut	47
239074	Male	25	38-13/16	26	Male W/ Nut	No ABS Reluctor
239075	Male	25	24-1/16	26	Male W/ Nut	No ABS Reluctor
239076	Female	29	20-29/32	31	Male W/ Nut	No ABS Reluctor
239080	Male	25	24-1/32	25	Male W/ Nut	43
239084	Male	25	36-15/16	25	Male W/ Nut	43
239086	Male	25	24-1/32	25	Male W/ Nut	29
239087	Male	25	24-1/32	25	Male W/ Nut	No ABS Reluctor
239089	Male	25	23-1/2	26	Male W/ Nut	46
239090	Male	25	37-17/32	26	Male W/ Nut	46
239091	Male	25	37	23	Male W/ Nut	46
239092	Male	23	37-5/32	25	Male W/ Nut	46
239093	Male	25	23-1/8	23	Male W/ Nut	46
239094	Male	25	37-7/16	26	Male W/ Nut	46
239095	Male	27	25-5/32	25	Male W/ Nut	43
239097	Male	27	38-1/16	25	Male W/ Nut	43
239098	Male	27	24-3/4	25	Male W/ Nut	43
239101	6 Bolt Flange	N/A	20-13/16	28	Male W/ Bolt	No ABS Reluctor
239102	Male	25	23-15/16	28	Male W/ Bolt	No ABS Reluctor
239103	Male	25	23-13/16	28	Male W/ Bolt	No ABS Reluctor
239104	4 Bolt Flange	N/A	20-13/16	28	Male W/ Bolt	No ABS Reluctor

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
239105	Male	28	23-1/8	28	Male W/ Bolt	No ABS Reluctor
239106	Male	25	23-1/16	28	Male W/ Bolt	No ABS Reluctor
239107	4 Bolt Flange	N/A	20-3/32	28	Male W/ Bolt	No ABS Reluctor
239111	Female	32	20-5/8	26	Male W/ Nut	46
239112	Male	25	36-27/32	25	Male W/ Nut	43
239113	Male	25	24-3/8	25	Male W/ Nut	43
239114	Male	25	37-3/32	25	Male W/ Nut	43
239116	Male	27	25-23/32	27	Male W/ Nut	47
239117	Female	28-2	24-3/32	27	Male W/ Nut	47
239124	4 Bolt Flange	N/A	20-23/32	30	Male W/ Nut	No ABS Reluctor
239125	Female	28-2	26-21/32	25	Male W/ Nut	43
239126	Male	28	23-15/32	30	Male W/ Nut	No ABS Reluctor
239127	Male	28	34-1/4	25	Male W/ Nut	43
239130	Female	26-2	22-17/32	25	Male W/ Nut	No ABS Reluctor
239132	Long Bar	25	36-7/32	25	Male W/ Nut	No ABS Reluctor
239133	Female	26-2	21-3/32	25	Male W/ Nut	No ABS Reluctor
239136	Female	29	20-7/8	31	Male W/ Nut	No ABS Reluctor
239137	Female	29	23-25/32	33	Male W/ Nut	No ABS Reluctor
239138	Female	29	21-3/32	33	Male W/ Nut	No ABS Reluctor
239139	Female	29	22-9/32	33	Male W/ Nut	No ABS Reluctor
239140	Male	25	24-1/4	26	Male W/ Nut	46
239141	Male	25	37-5/32	25	Male W/ Nut	No ABS Reluctor
239145	Male	25	22-7/16	25	Male W/ Nut	No ABS Reluctor
239149	4 Bolt Flange	N/A	20-7/8	28	Male W/ Bolt	No ABS Reluctor
239150	Male	25	23-13/16	28	Male W/ Bolt	No ABS Reluctor
239153	Male	27	37-7/32	25	Male W/ Nut	No ABS Reluctor
239154	Male	27	23-15/16	25	Male W/ Nut	No ABS Reluctor
239155	Male	27	23-11/32	26	Male W/ Nut	46
239156	Male	28	21-31/32	26	Male W/ Nut	46
239157	Female	32	19-1/4	26	Male W/ Nut	46
239161	Male	25	31	25	Male W/ Nut	No ABS Reluctor
239162	Male	27	24-15/16	25	Male W/ Nut	43
239163	Female	26-2	23-15/32	25	Male W/ Nut	43
239164	Female	26-2	22-1/16	27	Male W/ Nut	43
239165	Male	28	26-5/8	27	Male W/ Nut	43
239166	Female	26-2	27-3/4	27	Male W/ Nut	43
239167	Female	26-2	25-3/32	27	Male W/ Nut	43
239168	Female	26-2	24-1/8	27	Male W/ Nut	43
239169	Female	28-2	25-5/16	27	Male W/ Nut	43
239171	Female	34	22-29/32	27	Male W/ Nut	48
239172	Male	25	23-7/8	27	Male W/ Nut	48
239173	Male	27	31-13/32	27	Male W/ Nut	48
239174	Male	27	31-31/32	27	Male W/ Nut	48
239175	Male	27	31-3/32	27	Male W/ Nut	48
239176	Male	27	32-1/16	27	Male W/ Nut	48
239177	Male	27	24-7/8	25	Male W/ Nut	43
239178	Male	28	31-1/2	25	Male W/ Nut	43
239179	Female	26-2	25-15/16	25	Male W/ Nut	43
239180	Female	26-2	22-9/32	25	Male W/ Nut	43
239181	Male	25	32-11/16	25	Male W/ Nut	43
239182	Male	25	29-5/32	25	Male W/ Nut	43
239183	Male	28	26-1/8	27	Male W/ Nut	43
239184	Female	28-2	24-13/16	27	Male W/ Nut	43
239185	Male	24	25-25/32	27	Male W/ Nut	43
239186	Male	27	39-1/32	27	Male W/ Nut	43
239187	Male	27	26-3/8	27	Male W/ Nut	43
239190	Male	27	39-1/32	25	Male W/ Nut	43
239191	Male	27	26-1/4	25	Male W/ Nut	43
249003	Female	26-2	18-13/16	26	Male W/ Nut	No ABS Reluctor
249004	Male	30	25-7/32	28	Male W/ Nut	44

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
249008	Male	26	21-15/32	26	Male W/ Nut	No ABS Reluctor
249009	Female	28-2	23-15/32	31	Male W/ Nut	44
249010	Male	28	26-1/16	28	Male W/ Nut	44
249011	Female	28-2	22-5/8	26	Male W/ Nut	44
249012	Male	24	24-3/4	26	Male W/ Nut	44
249014	Male	30	25-1/2	31	Male W/ Nut	44
249015	Male	24	35-3/32	26	Male W/ Nut	No ABS Reluctor
249016	Female	28-2	22-9/32	26	Male W/ Nut	No ABS Reluctor
249019	Female	28-2	24-5/32	26	Male W/ Nut	44
249021	Male	28	23-25/32	28	Male W/ Nut	90
249023	Male	26	24-1/32	26	Male W/ Nut	90
249024	Female	26-2	21-15/16	26	Male W/ Nut	90
249028	4 Bolt Flange	N/A	24-1/2	28	Male W/ Nut	No ABS Reluctor
249032	Male	35	26-17/32	28	Male W/ Nut	44
249043	Female	26-2	21-3/32	26	Male W/ Bolt	No ABS Reluctor
249044	Female	28-2	24-13/32	26	Male W/ Nut	44
249047	Male	24	23-15/16	24	Male W/ Nut	No ABS Reluctor
249049	Male	26	23-7/16	26	Male W/ Nut	No ABS Reluctor
249050	Female	26-2	21-13/32	26	Male W/ Nut	No ABS Reluctor
249051	Female	28-2	23	28	Male W/ Nut	44
249053	Female	28-2	24-13/32	26	Male W/ Nut	44
249055	Male	28	24-17/32	26	Male W/ Nut	44
249056	Female	28-2	23-15/32	26	Male W/ Nut	44
249057	Male	26	24	26	Male W/ Bolt	No ABS Reluctor
249061	Male	26	21-5/16	26	Male W/ Nut	44
249062	Female	26-2	18-5/8	26	Male W/ Nut	44
249063	Male	26	23-5/16	24	Male W/ Nut	No ABS Reluctor
249064	Female	26-2	21-1/4	24	Male W/ Nut	No ABS Reluctor
249095	Male	28	24-13/16	28	Male W/ Nut	44
249097	Female	28-2	22-7/8	28	Male W/ Nut	44
249103	Male	28	24-19/32	26	Male W/ Nut	44
249105	Female	28-2	22-5/8	28	Male W/ Nut	44
249106	Male	28	24-21/32	28	Male W/ Nut	44
249109	Female	28-2	21-15/32	28	Male W/ Nut	44
249110	Male	30	23-3/4	28	Male W/ Nut	44
249116	Male	24	24-15/16	26	Male W/ Nut	44
249117	Female	28-2	23-7/32	26	Male W/ Nut	44
249118	Male	26	23-13/16	26	Male W/ Nut	44
249121	Male	24	35-29/32	26	Male W/ Nut	44
249133	Male	28	25-7/16	28	Male W/ Nut	44
249134	Female	28-2	23-5/8	28	Male W/ Nut	44
249137	Male	30	23-15/16	28	Male W/ Nut	44
249138	Female	28-2	22-7/16	28	Male W/ Nut	44
249139	Male	30	24-13/16	28	Male W/ Nut	44
249141	Male	31	23-7/32	28	Male W/ Nut	44
249142	Male	28	23-1/16	36	Male W/ Bolt	No ABS Reluctor
249143	Female	28-2	19-29/32	36	Male W/ Bolt	No ABS Reluctor
249144	Male	28	23-1/8	36	Male W/ Bolt	No ABS Reluctor
249145	Female	28-2	21-3/32	36	Male W/ Bolt	No ABS Reluctor
249146	Male	28	22-19/32	36	Male W/ Bolt	No ABS Reluctor
249147	Female	28-2	19-3/4	36	Male W/ Bolt	No ABS Reluctor
249148	Male	28	25-1/8	28	Male W/ Nut	No ABS Reluctor
249149	Female	28-2	23-7/32	28	Male W/ Nut	No ABS Reluctor
249151	Female	28-2	21-21/32	28	Male W/ Nut	No ABS Reluctor
249152	Male	28	25	28	Male W/ Nut	No ABS Reluctor
249155	Female	28-2	22-29/32	28	Male W/ Nut	No ABS Reluctor
249158	Male	28	24-15/16	28	Male W/ Nut	No ABS Reluctor
249159	Male	26	24-7/16	28	Male W/ Nut	No ABS Reluctor
249165	Male	28	24-3/8	26	Male W/ Nut	44
249166	Male	35	25-25/32	28	Male W/ Nut	44

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
249167	Male	30	24-1/8	31	Male W/ Nut	44
249168	Female	29-2	21-15/16	31	Male W/ Nut	44
249169	Male	31	25-7/32	31	Male W/ Nut	44
249170	Female	31-2	24-3/32	31	Male W/ Nut	44
259001	6 Bolt Flange	N/A	20-23/32	28	Male W/ Bolt	No ABS Reluctor
259002	Male	25	24-1/8	25	Male W/ Nut	42
259003	Male	29	25-1/8	29	Male W/ Nut	46
259004	Long Bar	29	37-3/4	29	Male W/ Nut	46
259005	Male	25	24-7/16	27	Male W/ Nut	42
259007	Long Bar	29	38-5/32	29	Male W/ Nut	46
259008	Male	29	24-3/8	29	Male W/ Nut	46
259011	Long Bar	25	36-11/32	25	Male W/ Nut	42
259014	Long Bar	27	37	27	Male W/ Nut	44
259015	Male	27	24-1/4	27	Male W/ Nut	44
259021	Male	25	24-15/16	25	Male W/ Nut	42
259022	Long Bar	25	37-1/8	25	Male W/ Nut	42
259023	Long Bar	29	37-3/8	27	Male W/ Nut	44
259025	Male	29	25-1/8	27	Male W/ Nut	44
259026	Male	24	35-3/4	25	Male W/ Nut	No ABS Reluctor
259027	Long Bar	25	37-5/16	27	Male W/ Nut	42
259028	Long Bar	27	36-15/32	27	Male W/ Nut	44
259029	Male	27	24-17/32	27	Male W/ Nut	46
259030	Long Bar	27	38	27	Male W/ Nut	46
259031	Male	29	24-29/32	29	Male W/ Nut	46
259034	Male	29, 31	25-15/32	29	Male W/ Nut	46
259036	Long Bar	29	37-13/16	29	Male W/ Nut	44
259037	Male	24	24-3/4	25	Male W/ Nut	No ABS Reluctor
259038	Male	24	35-3/32	25	Male W/ Nut	No ABS Reluctor
259048	Male	25	35-3/4	25	Male W/ Nut	42
259049	Male	29, 31	24-15/16	29	Male W/ Nut	46
259051	Male	31	24-1/2	27	Male W/ Nut	44
259054	Male	29	24-1/8	27	Male W/ Nut	44
259055	Male	31	24-23/32	27	Male W/ Nut	44
259056	Long Bar	29	36-9/16	27	Male W/ Nut	44
259057	Long Bar	27	36-1/8	27	Male W/ Nut	44
259061	Male	24	23-15/16	24	Male W/ Nut	No ABS Reluctor
259062	Male	24	34-15/16	24	Male W/ Nut	No ABS Reluctor
259064	6 Bolt Flange	N/A	20-15/32	27	Male W/ Bolt	No ABS Reluctor
259066	Male	29	26-15/16	32	Male W/ Nut	50
259067	Long Bar	29	40-1/2	32	Male W/ Nut	50
259068	Male	25	24-1/4	27	Male W/ Nut	42
259070	Long Bar	27	37-15/32	27	Male W/ Nut	44
259072	Male	29, 31	24-9/32	29	Male W/ Nut	46
259073	Male	29, 31	24-13/16	29	Male W/ Nut	46
259075	Male	31	24-23/32	27	Male W/ Nut	44
259076	Male	27	23-1/2	27	Male W/ Nut	No ABS Reluctor
259083	Male	27	25	27	Male W/ Nut	44
259086	6 Bolt Flange	N/A	27-5/32	29	Male W/ Nut	No ABS Reluctor
259089	6 Bolt Flange	N/A	25-19/32	29	Male W/ Nut	No ABS Reluctor
259092	Male	24	24-1/2	25	Male W/ Nut	No ABS Reluctor
259094	Long Bar	29	38-1/8	29	Male W/ Nut	44
259095	Male	29	24-29/32	29	Male W/ Nut	44
259096	Male	27	23-15/32	25	Male W/ Nut	No ABS Reluctor
259097	Long Bar	42	36-13/16	25	Male W/ Nut	No ABS Reluctor
259099	6 Bolt Flange	N/A	22-7/32	28	Male W/ Bolt	No ABS Reluctor
259100	Male	25	24-17/32	25	Male W/ Nut	42
259105	Male	29	24-1/16	29	Male W/ Nut	44
259106	Male	29	25-1/8	29	Male W/ Nut	44
259107	Male	25	36-9/16	25	Male W/ Nut	42
259111	Male	25	36-1/2	25	Male W/ Nut	42

**Worldparts New CV Axle Shaft Specification Chart**

WORLDPARTS PART NUMBER	INBOARD JOINT TYPE	INBOARD JOINT SPLINE	LENGTH IN INCHES	OUTBOARD JOINT SPLINE	OUTBOARD JOINT TYPE	ABS COUNT
259114	Long Bar	25	37-5/16	27	Male W/ Nut	44
259115	Male	25	24-11/32	27	Male W/ Nut	44
259116	Long Bar	25	36-15/16	27	Male W/ Nut	44
259117	Male	25	24-23/32	27	Male W/ Nut	44
259119	Long Bar	25	36-25/32	25	Male W/ Nut	42
259123	Male	25	24-3/4	27	Male W/ Nut	42
259125	Male	25	23-7/8	25	Male W/ Nut	42
259128	Long Bar	25	37	27	Male W/ Nut	42
259134	Long Bar	25	37	27	Male W/ Nut	42
259144	Long Bar	26	41-11/32	29	Male W/ Nut	No ABS Reluctor
259146	Male	26	27-5/8	29	Male W/ Nut	No ABS Reluctor
259147	Long Bar	29	38-1/16	29	Male W/ Nut	46
259150	Male	29	24-29/32	29	Male W/ Nut	46
259154	Long Bar	29	38-9/16	27	Male W/ Nut	44
259157	Male	29	23-1/16	27	Male W/ Nut	42
259159	Long Bar	25	36-15/16	25	Male W/ Nut	42
259160	Male	25	24-7/8	25	Male W/ Nut	42
259164	Long Bar	29	37-17/32	27	Male W/ Nut	42
259166	Male	29	25-1/2	27	Male W/ Nut	44
259176	Male	25	24-1/2	25	Male W/ Nut	No ABS Reluctor
259177	Male	29, 31	25-5/16	29	Male W/ Nut	44
259178	Male	25	24-1/2	27	Male W/ Nut	44
259179	Long Bar	25	37-3/32	27	Male W/ Nut	44
259180	Male	27	23-5/8	27	Male W/ Nut	No ABS Reluctor
259181	Male	24	22-17/32	24	Male W/ Nut	No ABS Reluctor
259182	Male	29	24-9/16	27	Male W/ Nut	44
259183	Long Bar	29	39-9/16	27	Male W/ Nut	44
259185	6 Bolt Flange	N/A	20-9/16	28	Male W/ Bolt	No ABS Reluctor
259187	Male	29	24-13/32	29	Male W/ Nut	44
259188	Long Bar	29	39-7/16	29	Male W/ Nut	44
259189	Male	29	25-3/8	29	Male W/ Nut	44
259190	Long Bar	29	38-7/16	29	Male W/ Nut	44
259191	Male	29	25-9/16	29	Male W/ Nut	44
259192	Male	29	24-3/32	27	Male W/ Nut	42
259193	Long Bar	29	36-15/32	27	Male W/ Nut	42
259201	Long Bar	29	39-5/32	29	Male W/ Nut	44
259202	Long Bar	26	38-3/8	29	Male W/ Nut	44
259203	6 Bolt Flange	N/A	22-3/4	29	Male W/ Nut	No ABS Reluctor
259204	Male	29	26-11/32	29	Male W/ Nut	No ABS Reluctor
259205	Long Bar	29	39-13/16	29	Male W/ Nut	No ABS Reluctor
259206	Female	30	22-9/16	29	Male W/ Nut	No ABS Reluctor
259209	6 Bolt Flange	N/A	28-1/8	26	Male W/ Bolt	No ABS Reluctor
259210	Male	26	24-15/16	29	Male W/ Nut	44
259212	Male	29	41-1/2	29	Male W/ Nut	No ABS Reluctor
259213	Long Bar	29	28-1/2	29	Male W/ Nut	No ABS Reluctor
259220	Long Bar	29	37-1/16	26	Male W/ Nut	No ABS Reluctor
259221	Male	29	26-17/32	26	Male W/ Nut	No ABS Reluctor
259222	Long Bar	29	36-3/4	27	Male W/ Nut	No ABS Reluctor
259223	Male	29	26-25/32	27	Male W/ Nut	No ABS Reluctor
259224	Long Bar	29	38-3/4	29	Male W/ Nut	No ABS Reluctor
259225	Male	29	25-1/32	29	Male W/ Nut	No ABS Reluctor
259226	Long Bar	29	37-29/32	27	Male W/ Nut	No ABS Reluctor
259227	Male	29	24-1/32	27	Male W/ Nut	No ABS Reluctor
259229	Male	27	25	29	Male W/ Nut	No ABS Reluctor
259230	Male	29	38-25/32	29	Male W/ Nut	44
259231	Long Bar	29	38-13/16	29	Male W/ Nut	No ABS Reluctor
259232	Male	29	25-7/16	29	Male W/ Nut	No ABS Reluctor
259233	Long Bar	27	38-3/16	29	Male W/ Nut	No ABS Reluctor
259234	Male	27	26-1/4	29	Male W/ Nut	No ABS Reluctor
259235	Male	29	24-1/4	32	Male W/ Nut	No ABS Reluctor

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLDPARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
259236	Long Bar	29	39-3/32	32	Male W/ Nut	No ABS Reluctor
259237	Male	29	24-7/8	32	Male W/ Nut	No ABS Reluctor
259238	Male	24	25-15/32	29	Male W/ Nut	No ABS Reluctor
259239	Male	29	40	32	Male W/ Nut	No ABS Reluctor
259240	Male	27	24-3/4	25	Male W/ Nut	No ABS Reluctor
259241	Flange	N/A	26-31/32	27	Male W/ Nut	No ABS Reluctor
259242	Flange	N/A	26-13/16	27	Male W/ Nut	No ABS Reluctor
259243	6 Bolt Flange	N/A	26-1/16	32	Male W/ Nut	No ABS Reluctor
259244	Long Bar	24	38-21/32	29	Male W/ Nut	No ABS Reluctor
259247	Male	26	35-15/16	25	Male W/ Nut	No ABS Reluctor
259248	Male	26	25-15/32	25	Male W/ Nut	No ABS Reluctor
259249	Male	25	36-1/8	25	Male W/ Nut	No ABS Reluctor
259250	Male	25	25-15/32	25	Male W/ Nut	No ABS Reluctor
259251	Male	25	35-15/16	25	Male W/ Nut	No ABS Reluctor
269049	Female	23	28-21/32	21	Male W/ Nut	No ABS Reluctor
279001	Long Bar	24	39-1/2	24	Male W/ Nut	No ABS Reluctor
279003	Male	29	39-1/4	29	Male W/ Nut	48
279004	Male	29	25-3/32	29	Male W/ Nut	48
279005	Male	25	23-7/16	28	Male W/ Nut	No ABS Reluctor
279006	Male	25	24-29/32	28	Male W/ Nut	No ABS Reluctor
279007	Long Bar	24	25-21/32	24	Male W/ Nut	No ABS Reluctor
289009	mesaver Axle No II	N/A	18-15/16	33	Male W/ Nut	29
289010	Male	34	23-3/8	33	Male W/ Nut	29
289017	Female	34	21-5/8	33	Male W/ Nut	29
289021	Male	27	24-13/32	33	Male W/ Nut	29
289022	Male	27	24-1/4	30	Male W/ Nut	29
289023	Male	27	23-21/32	30	Male W/ Nut	No ABS Reluctor
299001	Female	25	26-15/16	27	Male W/ Nut	No ABS Reluctor
299003	Female	23	27-13/32	30	Male W/ Nut	No ABS Reluctor
299005	Female	25	27-3/8	30	Male W/ Nut	No ABS Reluctor
299006	Female	23	26-29/32	27	Male W/ Nut	No ABS Reluctor
299007	Female	23	27-9/32	27	Male W/ Nut	No ABS Reluctor
299009	Female	23	24-1/2	30	Male W/ Bolt	No ABS Reluctor
299010	Female	23	25-15/32	30	Male W/ Nut	No ABS Reluctor
299011	Female	25	26-13/16	27	Male W/ Nut	44
299012	Female	23	20-5/8	23	Male W/ Snap Ring	No ABS Reluctor
299014	Female	25	27-9/32	27	Male W/ Nut	44
299016	Female	25	27-1/2	27	Male W/ Nut	No ABS Reluctor
299022	Female	25	26-5/8	27	Male W/ Nut	No ABS Reluctor
299023	Male	25	30-7/32	27	Male W/ Nut	44
299027	Female	23	21-15/16	27	Male W/ Nut	No ABS Reluctor
299028	Female	25	27-3/8	27	Male W/ Nut	No ABS Reluctor
299037	Male	22	30	24	Male W/ Nut	No ABS Reluctor
299040	Male	25	30-23/32	27	Male W/ Nut	44
299041	Male	25	29-27/32	24	Male W/ Nut	No ABS Reluctor
299043	Male	25	30-7/32	24	Male W/ Nut	No ABS Reluctor
299044	Male	25	30-5/8	24	Male W/ Nut	No ABS Reluctor
299047	Male	25	30-5/8	27	Male W/ Nut	No ABS Reluctor
299048	Male	25	29-15/16	25	Male W/ Nut	44
299049	Male	25	30-1/32	25	Male W/ Nut	44
299050	Male	25	32-15/32	27	Male W/ Nut	No ABS Reluctor
309002	Male	22	23-3/4	25	Male W/ Nut	42
309004	Male	22	34-7/8	25	Male W/ Nut	42
309013	6 Bolt Flange	N/A	19-3/8	26	Male W/ Bolt	No ABS Reluctor
309014	Male	22	23-7/16	26	Male W/ Bolt	No ABS Reluctor
309015	Female	22	21-27/32	23	Male W/ Nut	No ABS Reluctor
309018	6 Bolt Flange	N/A	21-7/32	26	Male W/ Bolt	No ABS Reluctor
309020	Male	26	24-1/32	26	Male W/ Bolt	No ABS Reluctor
309022	Male	26	23-19/32	26	Male W/ Bolt	No ABS Reluctor
309024	Female	26	22-3/8	25	Male W/ Nut	42

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
309025	Male	26	23-11/32	25	Male W/ Nut	42
309027	Male	22	23-11/32	25	Male W/ Nut	42
309029	Male	22	25	25	Male W/ Nut	42
309030	Female	22	24-1/16	25	Male W/ Nut	42
309036	Male	22	22-5/32	23	Male W/ Nut	No ABS Reluctor
309037	Female	22	22-11/16	25	Male W/ Nut	No ABS Reluctor
309038	Male	22	23-3/4	23	Male W/ Nut	No ABS Reluctor
309039	Female	22	23-3/16	23	Male W/ Nut	No ABS Reluctor
309040	Male	22	23-1/4	25	Male W/ Nut	No ABS Reluctor
309041	Male	22	21-3/4	25	Male W/ Nut	No ABS Reluctor
309042	Female	22	21-13/32	25	Male W/ Nut	No ABS Reluctor
309043	Male	22	23-5/16	25	Male W/ Nut	42
309044	Female	26	24-5/8	25	Male W/ Nut	42
309054	Female	26	24-3/8	25	Male W/ Nut	42
309055	Male	26	23-5/16	25	Male W/ Nut	42
309056	Male	34	24-5/32	33	Male W/ Nut	47
309057	Male	34	36-13/16	33	Male W/ Nut	47
309058	Male	34	23-5/32	33	Male W/ Nut	47
309059	Male	34	23-5/32	33	Male W/ Nut	47
309060	Male	22	23-11/16	22	Male W/ Nut	47
309061	Male	22	36-5/8	22	Male W/ Nut	47
309062	Male	22	24-3/32	22	Male W/ Nut	47
309063	Male	22	36-5/16	22	Male W/ Nut	47
319001	Female	34	22-7/32	31	Male W/ Nut	47
319002	Male	34	24-23/32	31	Male W/ Nut	47
319005	Female	34	21-5/8	33	Male W/ Nut	29
319007	Male	34	38-3/8	33	Male W/ Nut	29
319008	Male	34	24-1/8	33	Male W/ Nut	29
319011	Female	34	29-1/8	33	Male W/ Nut	No ABS Reluctor
319012	Female	34	24-1/8	33	Male W/ Nut	No ABS Reluctor
319013	Male	34	24-15/16	33	Male W/ Nut	No ABS Reluctor
319015	Male	34	24-15/16	33	Male W/ Nut	No ABS Reluctor
319016	Male	27	24-1/4	33	Male W/ Nut	No ABS Reluctor
319017	Male	29	25-5/16	33	Male W/ Nut	No ABS Reluctor
319018	Female	34	29-13/16	33	Male W/ Nut	No ABS Reluctor
319019	Male	34	23-7/32	33	Male W/ Nut	No ABS Reluctor
319020	Male	34	37-1/2	33	Male W/ Nut	No ABS Reluctor
319021	Female	34	23-15/16	33	Male W/ Nut	No ABS Reluctor
319023	Female	34	22-1/8	33	Male W/ Nut	No ABS Reluctor
319025	Male	34	37-31/32	33	Male W/ Nut	No ABS Reluctor
319026	Female	34	20-21/32	33	Male W/ Nut	No ABS Reluctor
329007	6 Bolt VL Style	N/A	21-25/32	30	Male W/ Nut	48
329008	6 Bolt Flange	N/A	22-1/8	26	Male W/ Nut	48
329009	6 Bolt Flange	N/A	24-9/32	26	Male W/ Bolt	No ABS Reluctor
329012	Male	23	36-1/2	26	Male W/ Nut	48
329015	Male	24	25-15/16	30	Male W/ Nut	48
329016	Long Bar	24	37-13/32	30	Male W/ Nut	48
329018	Male	23	24-1/16	26	Male W/ Nut	48
329023	8 Bolt Flange	N/A	21-5/16	26	Male W/ Nut	No ABS Reluctor
329024	6 Bolt Flange	N/A	20-15/16	26	Male W/ Bolt	No ABS Reluctor
329026	Male	23	23-5/16	26	Male W/ Nut	No ABS Reluctor
329027	Male	23	35-9/16	26	Male W/ Nut	No ABS Reluctor
329029	Male	27	24-1/32	26	Male W/ Bolt	No ABS Reluctor
329030	6 Bolt VL Style	N/A	20-7/32	26	Male W/ Nut	48
329031	Male	23	33-21/32	26	Male W/ Nut	48
329032	Male	23	24-3/4	26	Male W/ Nut	48
329035	8 Bolt Flange	N/A	19-5/8	26	Male W/ Nut	No ABS Reluctor
329036	8 Bolt Flange	N/A	30-15/32	26	Male W/ Nut	No ABS Reluctor
329037	Male	20	30-21/32	23	Male W/ Nut	No ABS Reluctor
329038	Male	20	26-13/16	26	Male W/ Nut	48

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLD PARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
329039	Male	20	26-25/32	23	Male W/ Nut	No ABS Reluctor
329043	Male	27	24-1/4	30	Male W/ Nut	No ABS Reluctor
329044	Long Bar	20	37-1/16	26	Male W/ Nut	48
329045	Male	20	24-21/32	26	Male W/ Nut	48
329047	Male	20	36-15/16	26	Male W/ Nut	No ABS Reluctor
329048	Male	20	23-25/32	26	Male W/ Nut	No ABS Reluctor
329049	8 Bolt Flange	N/A	31-3/32	26	Male W/ Nut	No ABS Reluctor
329050	Male	24	25-7/16	30	Male W/ Nut	48
329051	Male	24	25-13/16	26	Male W/ Nut	48
329052	Long Bar	24	38-1/8	30	Male W/ Nut	48
329053	Long Bar	24	37-3/4	26	Male W/ Nut	48
329071	6 Bolt Flange	N/A	29-13/16	26	Male W/ Nut	No ABS Reluctor
329075	Long Bar	24	37-13/32	30	Male W/ Nut	48
329076	Long Bar	20	35-3/4	26	Male W/ Nut	48
329077	Long Bar	24	38-1/16	30	Male W/ Nut	48
329078	Male	24	25-1/2	30	Male W/ Nut	No ABS Reluctor
329086	Long Bar	20	35-15/16	26	Male W/ Nut	48
329087	Male	20	24-9/16	26	Male W/ Nut	48
329088	Male	27	27-13/16	30	Male W/ Nut	No ABS Reluctor
329090	Male	23	24-15/16	26	Male W/ Nut	48
329092	Male	23	35-15/16	26	Male W/ Nut	48
329094	Male	20	25-11/32	26	Male W/ Nut	48
329096	Male	20	35-25/32	26	Male W/ Nut	48
329097	Male	20	24-1/4	26	Male W/ Nut	48
329098	Long Bar	20	35-15/16	26	Male W/ Nut	48
329099	Male	20	24-15/16	26	Male W/ Nut	48
329100	Male	23	24-5/8	26	Male W/ Nut	48
329101	Male	23	37-1/8	26	Male W/ Nut	48
329103	Male	24	25-19/32	30	Male W/ Nut	48
329104	Male	23	22-29/32	26	Male W/ Nut	48
329105	Male	23	22-23/32	26	Male W/ Nut	48
329106	Male	20	25-1/4	26	Male W/ Nut	48
329107	Long Bar	20	36-1/2	26	Male W/ Nut	48
329108	Male	23	25-5/32	24	Male W/ Nut	48
329109	Male	23	34-9/16	24	Male W/ Nut	48
329114	Long Bar	20	36-21/32	26	Male W/ Nut	48
329118	Male	23	24-21/32	26	Male W/ Nut	48
329120	6 Bolt Flange	N/A	27-5/32	26	Male W/ Nut	48
329121	Long Bar	23	38-13/16	26	Male W/ Nut	48
329136	Male	23	25-1/8	26	Male W/ Nut	48
329139	Male	30	27-29/32	30	Male W/ Bolt	No ABS Reluctor
329140	Long Bar	24	36-7/32	26	Male W/ Nut	48
329141	Male	20	35-9/32	26	Male W/ Nut	48
329143	Long Bar	24	37	30	Male W/ Nut	48
329144	Male	24	26-3/16	30	Male W/ Nut	48
329145	Male	20	25-3/8	26	Male W/ Nut	48
329147	Male	20	25-5/32	26	Male W/ Nut	48
329148	Male	24	26-7/32	26	Male W/ Nut	48
329149	Long Bar	24	37-1/16	26	Male W/ Nut	48
329150	6 Bolt VL Style	N/A	21-27/32	30	Male W/ Nut	48
329151	6 Bolt VL Style	N/A	22-13/16	30	Male W/ Nut	48
329153	Long Bar	23	39-7/16	26	Male W/ Nut	48
329154	Male	24	24-1/2	26	Male W/ Nut	48
329155	Long Bar	24	37-9/32	26	Male W/ Nut	48
329156	Male	23	23-11/32	26	Male W/ Nut	48
329157	Long Bar	23	39-1/32	26	Male W/ Nut	48
329158	Male	20	24-15/16	26	Male W/ Nut	48
329160	Male	23	25-1/2	26	Male W/ Nut	48
329163	Male	24	26-1/16	30	Male W/ Nut	48
329164	Long Bar	24	38-19/32	30	Male W/ Nut	48

**Worldparts New CV Axle Shaft Specification Chart**

WORLD PARTS PART NUMBER	INBOARD JOINT TYPE	INBOARD JOINT SPLINE	LENGTH IN INCHES	OUTBOARD JOINT SPLINE	OUTBOARD JOINT TYPE	ABS COUNT
329165	Male	24	24-27/32	26	Male W/ Nut	48
329166	Long Bar	30	23-1/8	30	Male W/ Bolt	No ABS Reluctor
329167	Male	24	24-13/32	26	Male W/ Nut	48
329168	Male	30	25-7/16	30	Male W/ Nut	No ABS Reluctor
329169	6 Bolt VL Style	N/A	22-7/32	30	Male W/ Nut	48
329170	6 Bolt VL Style	N/A	22-7/32	30	Male W/ Nut	48
329171	Male	20	24-3/4	26	Male W/ Nut	48
329172	Long Bar	20	34-7/8	26	Male W/ Nut	48
329174	Male	23	22-19/32	26	Male W/ Nut	48
329175	Male	23	22-13/16	26	Male W/ Nut	48
329183	Male	24	27-29/32	30	Male W/ Nut	48
329184	Long Bar	24	40-3/8	30	Male W/ Nut	48
329186	Male	23	26-15/16	30	Male W/ Nut	48
329200	6 Bolt Flange	N/A	30-29/32	26	Male W/ Nut	48
329201	Long Bar	23	41-3/4	30	Male W/ Nut	48
329202	Male	20	25-21/32	26	Male W/ Nut	48
329203	Male	20	35-15/16	26	Male W/ Nut	48
329204	Male	23	25-23/32	26	Male W/ Nut	No ABS Reluctor
329205	Male	23	35-7/32	26	Male W/ Nut	No ABS Reluctor
329206	Male	20	25-7/32	26	Male W/ Nut	48
329207	Long Bar	23	39-7/16	30	Male W/ Nut	48
329212	Male	24	26-13/32	26	Male W/ Nut	48
329213	Male	24	25-7/8	30	Male W/ Nut	48
329214	Male	24	38-5/32	26	Male W/ Nut	48
329215	Long Bar	24	38-19/32	26	Male W/ Nut	48
329216	Male	24	25-3/4	26	Male W/ Nut	48
329217	Male	23	24-23/32	30	Male W/ Nut	48
329218	Long Bar	24	25	30	Male W/ Nut	48
329219	Male	23	31-1/8	26	Male W/ Nut	48
329220	Flange	24	38-19/32	30	Male W/ Nut	48
329222	Male	24	26-1/8	30	Male W/ Nut	48
329223	Male	23	30-3/32	26	Male W/ Nut	48
329227	Male	20	36-13/32	26	Male W/ Nut	48
329228	Male	24	37-5/32	26	Male W/ Nut	48
329233	Male	20	36-11/32	26	Male W/ Nut	48
329234	Male	20	25-15/32	26	Male W/ Nut	48
339001	Long Bar	26	40-1/8	26	Male W/ Nut	48
339002	Male	26	22-5/16	26	Male W/ Nut	48
339004	Long Bar	26	40-1/2	26	Male W/ Nut	48
339005	Male	26	22-23/32	26	Male W/ Nut	48
339006	Female	35	17-3/32	36	Male W/ Bolt	48
339007	Male	26	22-31/32	26	Male W/ Nut	43
339008	Male	26	23-19/32	26	Male W/ Nut	43
339009	Long Bar	26	37-15/32	26	Male W/ Nut	43
339010	Long Bar	26	36-27/32	26	Male W/ Nut	43
339013	Long Bar	26	40-1/2	26	Male W/ Nut	48
339016	Male	26	20-3/4	36	Male W/ Bolt	48
339017	Male	26	20-1/2	36	Male W/ Bolt	48
339018	Long Bar	26	38-3/16	36	Male W/ Bolt	48
339019	Long Bar	26	38-11/32	36	Male W/ Bolt	48
339022	Male	39, 30	26-1/4	36	Male W/ Bolt	48
339031	Long Bar	26	38-7/16	36	Male W/ Bolt	48
339032	Long Bar	26	38-7/16	36	Male W/ Bolt	48
339033	Long Bar	26	38-15/16	36	Male W/ Bolt	48
339034	Male	26	21-7/32	36	Male W/ Bolt	48
339035	Male	26	21-1/2	36	Male W/ Bolt	48
339036	Male	26	19-29/32	36	Male W/ Bolt	48
339037	Long Bar	26	37-19/32	36	Male W/ Bolt	48
339038	Male	26	20-13/32	36	Male W/ Bolt	No ABS Reluctor
339039	Long Bar	39	26-7/32	36	Male W/ Bolt	48

**Worldparts New CV Axle Shaft Specification Chart**

<b>WORLDPARTS PART NUMBER</b>	<b>INBOARD JOINT TYPE</b>	<b>INBOARD JOINT SPLINE</b>	<b>LENGTH IN INCHES</b>	<b>OUTBOARD JOINT SPLINE</b>	<b>OUTBOARD JOINT TYPE</b>	<b>ABS COUNT</b>
339040	Male	26	37-3/16	36	Male W/ Bolt	No ABS Reluctor
339041	Male	26	39-5/32	36	Male W/ Bolt	48
339042	Male	26	39-21/32	36	Male W/ Bolt	48
339043	Male	26	21-15/16	36	Male W/ Bolt	48
349001	6 Bolt VL Style	N/A	21-13/16	36	Male W/ Nut	No ABS Reluctor
349002	6 Bolt Flange	N/A	30-5/8	22	Male W/ Nut	No ABS Reluctor
349003	6 Bolt Flange	N/A	21-1/2	22	Male W/ Nut	No ABS Reluctor
349004	6 Bolt VL Style	N/A	31-1/4	36	Male W/ Nut	No ABS Reluctor
349007	6 Bolt VL Style	N/A	29-3/8	22	Male W/ Nut	No ABS Reluctor
349009	6 Bolt VL Style	N/A	20-7/8	22	Male W/ Nut	No ABS Reluctor
349010	6 Bolt VL Style	N/A	30-1/8	22	Male W/ Nut	No ABS Reluctor
349014	6 Bolt VL Style	N/A	21-15/16	22	Male W/ Nut	No ABS Reluctor
349015	6 Bolt VL Style	N/A	31-1/4	22	Male W/ Nut	No ABS Reluctor
349016	6 Bolt VL Style	N/A	22	22	Male W/ Nut	No ABS Reluctor
349017	6 Bolt VL Style	N/A	22	36	Male W/ Nut	No ABS Reluctor
349018	6 Bolt VL Style	N/A	21-1/4	22	Male W/ Nut	No ABS Reluctor
349019	6 Bolt VL Style	N/A	30-3/8	22	Male W/ Nut	No ABS Reluctor
349032	6 Bolt VL Style	N/A	32-15/32	36	Male W/ Nut	No ABS Reluctor
349033	6 Bolt Flange	N/A	31-31/32	36	Male W/ Nut	No ABS Reluctor
349035	6 Bolt VL Style	N/A	23-15/16	22	Male W/ Nut	No ABS Reluctor
349037	6 Bolt Flange	N/A	21-17/32	36	Male W/ Nut	No ABS Reluctor
349041	6 Bolt VL Style	N/A	29-5/8	22	Male W/ Nut	No ABS Reluctor
349043	6 Bolt VL Style	N/A	16 5/32	N/A	6 Bolt VL Style	No ABS Reluctor
349044	6 Bolt VL Style	N/A	21-5/16	N/A	6 Bolt VL Style	No ABS Reluctor
349045	6 Bolt VL Style	N/A	18-15/16	N/A	6 Bolt VL Style	No ABS Reluctor
349050	6 Bolt VL Style	N/A	24-3/8	33	Male W/ Bolt	45
349051	6 Bolt Flange	N/A	20-9/32	36	Male W/ Nut	No ABS Reluctor
349052	6 Bolt VL Style	N/A	22-7/16	N/A	6 Bolt VL Style	No ABS Reluctor
349053	6 Bolt Flange	N/A	32	36	Male W/ Nut	No ABS Reluctor
349054	6 Bolt VL Style	N/A	20-15/16	28	Male W/ Bolt	No ABS Reluctor
349055	6 Bolt VL Style	N/A	20-7/16	38	Male W/ Bolt	48
349057	6 Bolt Flange	N/A	21-1/4	36	Male W/ Nut	No ABS Reluctor
349058	6 Bolt Flange	N/A	31-7/8	36	Male W/ Nut	No ABS Reluctor
349059	6 Bolt VL Style	N/A	28	26	Male W/ Nut	No ABS Reluctor
349063	6 Bolt VL Style	N/A	20-1/2	N/A	6 Bolt VL Style	No ABS Reluctor
349064	6 Bolt VL Style	N/A	20-1/2	N/A	6 Bolt VL Style	No ABS Reluctor
349065	6 Bolt VL Style	N/A	19-7/8	N/A	6 Bolt VL Style	No ABS Reluctor
349066	6 Bolt VL Style	N/A	17-7/8	N/A	6 Bolt VL Style	No ABS Reluctor
349067	6 Bolt VL Style	N/A	17-1/4	N/A	6 Bolt VL Style	No ABS Reluctor
349068	6 Bolt VL Style	N/A	15-5/16	N/A	6 Bolt VL Style	No ABS Reluctor
349069	6 Bolt Flange	N/A	20-5/32	36	Male W/ Nut	No ABS Reluctor
349070	6 Bolt Flange	N/A	31-1/8	36	Male W/ Nut	No ABS Reluctor
349072	6 Bolt Flange	N/A	23-15/32	33	Male W/ Bolt	45
349084	Male	26	23-1/32	36	Male W/ Bolt	No ABS Reluctor
349085	Male	26	34-23/32	36	Male W/ Bolt	No ABS Reluctor
349086	6 Bolt VL Style	N/A	20-1/2	36	Male W/ Bolt	No ABS Reluctor
349087	6 Bolt VL Style	N/A	32	36	Male W/ Bolt	No ABS Reluctor
349088	6 Bolt Flange	N/A	18-15/16	36	Male W/ Bolt	No ABS Reluctor
349089	6 Bolt Flange	N/A	29-1/2	36	Male W/ Bolt	No ABS Reluctor
349090	Male	26	24-1/4	36	Male W/ Nut	No ABS Reluctor
349091	Male	26	35-11/32	36	Male W/ Nut	No ABS Reluctor
349093	Flange	N/A	30-1/4	36	Male W/ Nut	No ABS Reluctor
349094	6 Bolt VL Style	N/A	31-15/16	36	Male W/ Nut	No ABS Reluctor
349095	6 Bolt Flange	N/A	19-15/16	36	Male W/ Nut	No ABS Reluctor
349096	Male	26	23-13/16	36	Male W/ Nut	No ABS Reluctor
349098	6 Bolt VL Style	N/A	18-15/16	36	Male W/ Bolt	No ABS Reluctor
349099	6 Bolt VL Style	N/A	30-7/32	36	Male W/ Bolt	No ABS Reluctor
349100	6 Bolt VL Style	N/A	32-15/16	36	Male W/ Nut	No ABS Reluctor
349101	Male	26	35-15/16	36	Male W/ Nut	No ABS Reluctor